

fiberon[®]

Beautiful
outdoor living,
built for **Life**[®]



Decking / Railing / Lighting



fiberondecking.com 1-800-573-8841

Table of Contents

Fiberon® Vision, Innovation & Sustainability	3, 4
Paramount™ Decking	5, 6
Horizon® Decking	7, 8
ProTect Advantage™ Decking	9, 10
Good Life™ Decking	11, 12
Classic Decking	13, 14
Decking Colors	15 -18
Horizon® Mission	19, 20
Horizon® Provincial	21, 22
Fiberail® Railing	23, 24
Fiberon® Deck & Rail Lighting	25, 26
Fiberon® Online Tools	27, 28
Product Matrix	29, 30
Product Information	31-36
Fiberon® Care & Maintenance	37-40
Fiberon® Warranties	41-52



Built by American Deck, Inc., Baltimore, MD
Horizon decking in Tudor Brown and Ipe with Horizon Mission railing



Beautiful outdoor living, built for Life®

Fiberon Vision

Fiberon is committed to providing products that are differentiated by their outstanding performance and quality to meet or exceed the highest expectations of our professional customers and consumers. Fiberon will provide a consistent and targeted line of products to meet all the needs of all its various customers. Fiberon will build on its innovation heritage by bringing new products to the marketplace, whose value proposition is demanded, thereby strengthening its brand and position as a market leader. Fiberon will service its customers with the respect and appreciation they deserve and include their interests in all corporate efforts.

Fiberon Innovation

Since 1997, Fiberon has continued to advance the technology of providing homeowners with products that are both beautiful and durable. Fiberon decking and railing systems have achieved an unequalled reputation for quality in presenting homeowners with a wide variety of style options and color choices. Fiberon is dedicated to continue innovating to offer the highest quality and longest lasting products in the industry.

Fiberon Sustainability

Producing Fiberon composite decking and railing products with high recycled content in a virtually waste-free manufacturing process is just the beginning of providing homeowners with sustainable, durable and beautiful outdoor living products. Easy to maintain, Fiberon products retain their beauty for decades with only occasional cleaning. Fiberon incorporates smart, energy efficient practices in every phase of the manufacture of our products:

- Made from locally-sourced, pre- and post-consumer recycled content
- Manufactured with zero, water waste discharge
- Urea formaldehyde-free – no toxic chemicals are used in the manufacture of Fiberon products
- Fiberon products deliver long-term performance without chemical preservatives, stains or paints
- Use of rail transportation to distributor locations
- Contributes to high performance green buildings
- Safe for your home and for the environment
- Sustainable – durable performance year after year



For the most up-to-date information and specifications, visit fiberondecking.com or call 1-800-573-8841.



Horizon Mission railing in White with post cap light and side post light in White




Horizon Ipe decking



Built by American Deck, Inc., Baltimore, MD

Horizon decking in Tudor Brown and Ipe with Horizon Mission railing





Horizon Mission railing in Dark Walnut with post cap light and side post light in Black

PARAMOUNT™ Cellular Decking

fiberon Beautiful outdoor living, built for Life®



Actual products may vary from colors shown.




New Fiberon Paramount Decking is beautiful, durable polymer decking at its finest! Paramount combines all the advantages of cellular decking with a highly resilient surface for lasting durability. This strong surface is bonded to the core to create a hard-wearing deck board with premium, realistic wood looks that last. Paramount Decking is backed by a lifetime performance, limited warranty.



- Beautiful solid and exotic hardwood colors and grain patterns
- Durable co-extruded surface
- Complementary fascia
- Highly moisture resistant
- No organic content to promote mold growth
- Ultra low maintenance


For the most up-to-date information and specifications, visit fiberondecking.com or call 1-800-573-8841.

Deck Boards: Nominal 1 in. x 5.5 in. x 12, 16 & 20 ft.
Grooved Edge
Square Edge available in 20 ft.
Fascia: Nominal .5 in. x 11.75 in. x 12 ft. Available in Brown, Sand, Fossil and Mineral/Flagstone



HORIZON® Capped Composite Decking

fiberon Beautiful outdoor living, built for Life®



Rosewood



Tudor Brown
Built by American Deck, Inc., Baltimore, MD



Castle Gray



Greystone



Ipe

Actual products may vary from colors shown.



Rosewood



Tudor Brown



Castle Gray



Greystone

Fiberon Horizon continues to have the leading edge in the most dramatic tropical looks and surface durability in wood-alternative decking. With Fiberon innovative PermaTech surface technology, Horizon features a 25-year, industry first, stain and fade warranty. Capped on all four sides, Horizon provides the ultimate in beautiful, long-lasting, low maintenance decking, backed by a 25-year performance limited warranty.

- Dramatic striking looks emulate exotic, tropical hardwoods
- Patent-pending PermaTech® Technology for long-lasting protective surfaces
- Reversible boards offer varied wood grains for a more natural look
- Resists mold and mildew, easy to clean
- Stain and fade resistant backed by a 25-year limited warranty
- Available in five, beautiful, multi-chromatic colors



Backed by the industry's first Stain and Fade Warranty

For the most up-to-date information and specifications, visit fiberondecking.com or call 1-800-573-8841.

Deck Boards: Nominal .935 in. x 5.4 in. x 12, 16 & 20 ft.
Grooved Edge
Square Edge available in 20 ft.
Fascia: Nominal .75 in. x 11.25 in. x 12 ft.
Riser Board: Nominal .75 in. x 7.25 in. x 12 ft.
Available in Ipe, Rosewood, Tudor Brown, Castle Gray and Greystone



Horizon Decking Square Edge (SE)
Horizon Decking Grooved Edge (GV)



Butt Joint Fastener
Line Fastener
End Clip Fastener
Phantom® Hidden Deck Fasteners



Fiberon® Cortex® Fastening System

PROTECT ADVANTAGE™ Capped Composite Decking

fiberon Beautiful outdoor living, built for Life®



Built by Deckscapes, Pineville, NC



Chestnut

Actual products may vary from colors shown.




Harbor Gray



Western Cedar



Gray Birch



Chestnut



Gray Birch



Western Cedar



Harbor Gray

Fascia and Riser boards in all four colors.

Deck Boards: Nominal .93 in. x 5.4 in. x 12, 16 & 20 ft. Grooved Edge
 Square Edge available in 20 ft.
 Fascia: Nominal .75 in. x 11.25 in. x 12 ft.
 Riser Board: Nominal .75 in. x 7.25 in. x 12 ft.
 Available in Chestnut, Western Cedar, Gray Birch and Harbor Gray



Capped on three sides, Fiberon ProTect Advantage Decking offers deep, rich tones with subtle streaking and realistic wood grain patterns to add beauty and dimension to your outdoor living space. With proven PermaTech® surface performance, ProTect Advantage offers exceptional stain and fade resistance for true low maintenance, warranted for 25 years.

- The elegant look of natural hardwoods
- Solid and multichromatic colors with realistic wood grain patterns
- Protective PermaTech® surface on three sides adds durability
- Stain and fade resistant backed by a 25-year limited warranty



Backed by the industry's first Stain and Fade Warranty

For the most up-to-date information and specifications, visit fiberondecking.com or call 1-800-573-8841.


GOOD LIFE™ Capped Composite Decking

fiberon Beautiful outdoor living, built for Life®



Cabin

Actual products may vary from colors shown.




Cottage



Villa

“Spend your time enjoying your deck instead of caring for it!”

Deck Boards: Nominal .93 in. x 5.3 in. x 12, 16 & 20 ft. Grooved Square Edge available in 20 ft. Fascia: Nominal .75 in. x 11.25 in. x 12 ft. Available in Cabin, Cottage and Villa



Fiberon makes it possible for everyone to break free from the limitations and constant upkeep of wood decking, at a price that doesn't break the bank. Introducing Fiberon Good Life, a new line of low maintenance composite decking that offers an unbeatable combination of price, performance and looks.

- Exceptional value
- Prefinished with a durable, protective surface
- Resists mold and mildew
- Unbeatable durability – won't rot, warp or splinter like wood
- No need to stain or paint – ever
- Stain and fade resistant backed by a 25-year limited warranty



Backed by the industry's first Stain and Fade Warranty

For the most up-to-date information and specifications, visit fiberondecking.com or call 1-800-573-8841.

CLASSIC *Uncapped Composite Decking*

fiberon Beautiful outdoor living, built for Life®



Timber



Granite



Timber (Solid)

Actual products may vary from colors shown.



Granite (Solid)

Approximately 120 Days of Weathering



IMPORTANT

- Cleaning mold or other stains is required at least semi-annually or more frequently depending on location and customer preference.
- Color tone will lighten during initial weathering, in approximately 120 days.



Classic Decking Square Edge (SE)



Fiberon Deck Spacer Tool

Built on proven composite performance, Fiberon Classic features two solid, deep colors, Timber and Granite, with natural wood grain patterns. Classic Decking resists termites, splinters and decay – backed by a 20-year performance, limited warranty.

- Two classic colors with natural wood graining, Timber and Granite
- No splitting, splinters, or cracking
- Never a need to stain or paint
- Backed by a 20-year performance warranty against checking, splinters, and decay




Deck Boards: Nominal .93 in. x 5.25 in. x 12, 16 & 20 ft. Square Edge Only
Fascia: Nominal .75 in. x 11.25 in. x 12 ft. Available in solid colors, Timber and Granite, designed to complement Classic decking colors.

For the most up-to-date information and specifications, visit fiberondecking.com or call 1-800-573-8841.

FIBERON® *Decking Colors*

Actual products may vary from colors shown.



FIBERON® *Decking Colors*

Actual products may vary from colors shown.



ProTect Advantage™ Chestnut




ProTect Advantage™ Gray Birch



Good Life™ Cabin



Good Life™ Cottage




ProTect Advantage™ Western Cedar



ProTect Advantage™ Harbor Gray



Good Life™ Villa



Classic Timber



Classic Granite

HORIZON® *Mission Composite Railing*

fiberon Beautiful outdoor living, built for Life®



Horizon Mission, White, Round Metal Balusters

Built by American Deck, Inc., Baltimore, MD



Horizon Mission, White

Built by Decksapes, Pineville, NC



Horizon Mission, Dark Walnut




Horizon Mission, Black with ClearVisionSystem®

Built by Olaf E. Eriksen Entreprenørforretning AS in Oslo, Norway



Horizon Mission, Black

Actual products may vary from colors shown.



White

Black

Dark Walnut

Bronze

Post Sleeve Kit: Available in 4 in. x 4 in. x 48 in. (Includes Post Cap and Base Moulding)
 Available in 5-3/4 in. x 5-3/4 in. x 48 in. (White only, includes Post Cap, Base Moulding and Post Adapters)
 Post Sleeve: Available in 108 in. (Post Cap and Base Moulding also sold separately)

Fiberon Horizon Mission Railing delivers design versatility with rich colors and infill options. Designed to coordinate with Horizon decking, Horizon Railing also complements all other Fiberon decking to complete your backyard oasis.

- Available in 6 ft. and 8 ft. rail sections and 6 ft. stair sections
- Flat drink-friendly rails, made of low maintenance PVC composite
- Customizable rail design
- ADA Compliant Handrail System available
- Marine grade hardware available special order



For the most up-to-date information and specifications, visit fiberondecking.com or call 1-800-573-8841.



5-3/4 in. Post Sleeve Kit



Post Sleeve Kit: Available in 4 in. x 4 in. x 48 in. (Includes Post Cap and Base Moulding)
 Available in 5-3/4 in. x 5-3/4 in. x 48 in. (White only, includes Post Cap, Base Moulding and Post Adapters)
 Post Sleeve: Available in 108 in. (Post Cap and Base Moulding also sold separately)

Fiberon Horizon Provincial Railing provides a classic, curved top rail perfect for decks, stairs, balconies and porches. Available in sections, Provincial Railing comes in traditional white, designed to coordinate with all Fiberon decking. Provincial resists cracking and flaking to provide long lasting beauty and is backed by a 20-year performance, limited warranty.

- Available in 6 ft. and 8 ft. rail sections and 6 ft. stair sections
- Traditional profile made of low maintenance PVC composite
- Accommodates black round metal balusters
- Customizable rail design
- ADA Compliant Handrail System available



For the most up-to-date information and specifications, visit fiberondecking.com or call 1-800-573-8841.



Top and Bottom Stair Collars




Top and Bottom Rail Collars



Bevel Post Sleeve Cap



Post Sleeve Base Moulding



Fiberail Post Sleeve Kit: Available in 4 in. x 4 in. x 37 in. (Includes Bevel Cap and Base Moulding)
Fiberail Post Sleeve: Available in 100 in. (Post Cap and Base Moulding also sold separately)

Fiberon Fiberail in classic white offers a sculpted top rail profile perfect for dressing up decks, porches, balconies and stairs. Available with white composite balusters, Fiberail pairs well with any architectural style. Fiberail consists of a premium composite substructure with a permanent PVC finish for a beautiful, sturdy and safe surround. Fiberail installs quickly and easily with drop-in balusters and matching rail collars.

- Available in 6 ft. and 8 ft. rail sections and 6 ft. stair sections
- Available in 36 in. and 42 in. installed rail heights
- Strong and durable premium composite substructure and co-extruded PVC surface for durability
- Low maintenance, backed by a 20-year limited performance warranty



For the most up-to-date information and specifications, visit fiberondecking.com or call 1-800-573-8841.





Actual products may vary from colors shown.



*Lighting product colors compliment Horizon Mission Black, Dark Walnut and Bronze.

Post Cap Light

(Caps available without LED light - not pictured)



Side Post Light



Riser Light



White

*Black

*Dark Walnut

*Bronze

Post Cap Light

Beautiful post cap available in four inch flat top with opaque lens shines ring of warm light outward for sophisticated post lighting

Side Post Light

Three and 1/2 inch eyeball design, directs warm white LED lights down the post to the deck for spot lighting around the deck or to aid in safe footing on stairs

Accent Light

One inch diameter light with warm white LED bulb, installs flush with decking and is great for defining the deck edge or lighting stairs.

Riser Light

Rectangle lighting with opaque lens, especially designed to brighten pathways and stairs


For the most up-to-date information and specifications, visit fiberondecking.com or call 1-800-573-8841.



Accent Light (installed)

*Check out Fiberon online at
fiberondecking.com.*

*Visit fiberondecking.com and look for
these tools to help you create your
dream deck.*



Fiberondecking.com provides homeowners, deck builders and dealers with beautiful photos and decking and railing product details. Whether you are looking for ideas to build your outdoor living space or for information on installing your custom deck design, Fiberon provides what you need online.


Photo Gallery

Get ideas from hundreds of Fiberon decks.



Deck Design Idea Tool

Choose colors, styles and products. See how they look in the real world!



What to Expect When You're Decking

Download the decking guide to begin planning and designing your custom outdoor oasis.

Complete Deck Design Tool

Design your deck in detail. Experiment. Explore. Even use a photo of your house! Output includes materials list and drawings.



Fiberon® Decking *Product Matrix*

Decking Product Line	Paramount Decking	Horizon Decking	ProTect Advantage Decking	Good Life Decking	Classic Decking
Board Profile Dimensions	Flat bottom 1 in. x 5.5 in. (2.54 cm x 13.97 cm)	Flat bottom .935 in. x 5.4 in. (2.37 cm x 13.7 cm)	Flat bottom .93 in. x 5.4 in. (2.36 cm x 13.4 cm)	Relieved bottom .93 in. x 5.3 in. (2.36 cm x 13.4 cm)	Scalloped bottom .93 in. x 5.25 in. (2.36 cm x 13.3 cm)
Profile Square Edge					
Grooved Edge					
Reversible	No	Yes	No	No	No
Material	Cellular Foam Polymer with coextruded cap on 3 sides	Durable PermaTech outer surface is bonded on 4 sides of HDPE and wood composite core	Durable PermaTech outer surface is bonded on 3 sides of HDPE and wood composite core	Durable PermaTech outer surface is bonded on 3 sides of HDPE and wood composite core	HDPE and wood composite
Multi-colors	Sandstone, Brownstone, Flagstone	Ipe, Rosewood, Tudor Brown, Castle Gray, Greystone	Chestnut, Gray Birch, Western Cedar	—	—
Solid Colors	Mineral, Fossil	—	Harbor Gray	Cabin, Cottage, Villa	Timber, Granite
Limited Performance Warranty	Lifetime	25-Year	25-Year	25-Year	20-Year
Stain & Fade Limited Warranty	—	25-Year	25-Year	25-Year	—
Available Lengths	20 ft.	20 ft.	20 ft.	20 ft.	20 ft.
Square Edge	12 ft., 16 ft., 20 ft.	12 ft., 16 ft., 20ft.	12 ft., 16 ft., 20ft.	12 ft., 16 ft., 20ft.	12 ft., 16 ft., 20ft.
Grooved Edge	12 ft., 16 ft., 20 ft.	12 ft., 16 ft., 20ft.	12 ft., 16 ft., 20ft.	12 ft., 16 ft., 20ft.	12 ft., 16 ft., 20ft.
Span Limitations	Perpendicular to joist: 16 in. (40 cm); Up to 45° angle to joist 12 in. (31 cm); Stair stringer spacing 16 in. (40 cm)	Perpendicular to joist: 16 in. (40 cm); Up to 45° angle to joist 12 in. (31 cm); Stair stringer spacing 12 in. (31 cm)	Perpendicular to joist: 16 in. (40 cm); Up to 45° angle to joist 12 in. (31 cm); Stair stringer spacing 9 in. (23 cm)	Perpendicular to joist: 16 in. (40 cm); Up to 45° angle to joist 12 in. (31 cm); Stair stringer spacing 9 in. (23 cm)	Perpendicular to joist: 16 in. (40 cm); Up to 45° angle to joist 12 in. (31 cm); Stair stringer spacing 9 in. (23 cm)
Fascia Available	.5 in. x 11.75 in. x 12 ft. All colors	.75 in. x 11.25 in. x 12 ft. All colors	.75 in. x 11.25 in. x 12 ft. All colors	.75 in. x 11.25 in. x 12 ft. All colors	.75 in. x 11.25 in. x 12 ft. All colors
Riser Available	No	.75 in. x 7.25 in. x 12 ft. All colors	.75 in. x 7.25 in. x 12 ft. All colors	No	No



Fiberon® Railing *Product Matrix*

Style	Horizon Mission	Horizon Provincial	Fiberail
Profile Dimensions			
Top Rail	3.75 in. x 2.25 in. (10 cm x 6 cm)	3.25 in. x 3.4375 in. (8 cm x 9 cm)	2.625 in. x 2.125 in. (8 cm x 9 cm)
Bottom Rail	3.5 in. x 1.75 in. (9 cm x 4 cm)	3.5 in. x 1.75 in. (9 cm x 4 cm)	2 in. x 3.5 in. (9 cm x 4 cm)
Profile			
Top Rail			
Bottom Rail			
Material	Premium quality, strong, durable, composite railing with permanent bonded finish. Provides superior UV, moisture and stain resistance.	Premium quality, strong, durable, composite railing with permanent bonded finish. Provides superior UV, moisture and stain resistance.	Premium quality, strong, durable, composite railing with permanent bonded finish. Provides superior UV, moisture and stain resistance.
Colors	White, Black, Bronze, Dark Walnut	White	White
Limited Warranty	20-Year	20-Year	20-Year
Available Lengths			
Line	6 ft. and 8 ft. (1.8288 m and 2.4384 m)	6 ft. and 8 ft. (1.8288 m and 2.4384 m)	6 ft. and 8 ft. (1.8288 m and 2.4384 m)
Stair	6 ft. (1.8288 m)	6 ft. (1.8288 m)	6 ft. (1.8288 m)
Available Baluster Styles, Profiles and Dimensions	Composite Square  1.25 x 1.25 in Round Metal Black  .75 in. diameter	Composite Square  1.25 x 1.25 in Round Metal Black  .75 in. diameter	Composite Square  1.25 x 1.25 in
ClearVisionSystem			
Tint	Clear or Bronze	Clear or Bronze	Clear or Bronze
Infill	White or Black	White	White






Profile	Description	Item Number	Colors	
 <p>Paramount Grooved Decking</p>	1 in. x 5.5 in. x 12 ft. Grooved 1 in. x 5.5 in. x 16 ft. Grooved 1 in. x 5.5 in. x 20 ft. Grooved 1 in. x 5.5 in. x 12 ft. Grooved 1 in. x 5.5 in. x 16 ft. Grooved 1 in. x 5.5 in. x 20 ft. Grooved 1 in. x 5.5 in. x 12 ft. Grooved 1 in. x 5.5 in. x 16 ft. Grooved 1 in. x 5.5 in. x 20 ft. Grooved 1 in. x 5.5 in. x 12 ft. Grooved 1 in. x 5.5 in. x 16 ft. Grooved 1 in. x 5.5 in. x 20 ft. Grooved 1 in. x 5.5 in. x 12 ft. Grooved 1 in. x 5.5 in. x 16 ft. Grooved 1 in. x 5.5 in. x 20 ft. Grooved	CPBRDG MINERAL 12 CPBRDG MINERAL 16 CPBRDG MINERAL 20 CPBRDG FOSSIL 12 CPBRDG FOSSIL 16 CPBRDG FOSSIL 20 CPBRDG FLAGSTONE 12 CPBRDG FLAGSTONE 16 CPBRDG FLAGSTONE 20 CPBRDG SANDSTONE 12 CPBRDG SANDSTONE 16 CPBRDG SANDSTONE 20 CPBRDG BROWNSTONE 12 CPBRDG BROWNSTONE 16 CPBRDG BROWNSTONE 20	Paramount Mineral Paramount Mineral Paramount Mineral Paramount Fossil Paramount Fossil Paramount Fossil Paramount Flagstone Paramount Flagstone Paramount Flagstone Paramount Sandstone Paramount Sandstone Paramount Sandstone Paramount Brownstone Paramount Brownstone Paramount Brownstone	
	 <p>Paramount Square Edge Decking</p>	1 in. x 5.5 in. x 20 ft. Square Edge 1 in. x 5.5 in. x 20 ft. Square Edge 1 in. x 5.5 in. x 20 ft. Square Edge 1 in. x 5.5 in. x 20 ft. Square Edge 1 in. x 5.5 in. x 20 ft. Square Edge	CPBRD MINERAL 20 CPBRD FOSSIL 20 CPBRD FLAGSTONE 20 CPBRD SANDSTONE 20 CPBRD BROWNSTONE 20	Paramount Mineral Paramount Fossil Paramount Flagstone Paramount Sandstone Paramount Brownstone
 <p>Horizon Grooved Decking</p>	.935 in. x 5.4 in. x 12 ft. Grooved .935 in. x 5.4 in. x 16 ft. Grooved .935 in. x 5.4 in. x 20 ft. Grooved .935 in. x 5.4 in. x 12 ft. Grooved .935 in. x 5.4 in. x 16 ft. Grooved .935 in. x 5.4 in. x 20 ft. Grooved .935 in. x 5.4 in. x 12 ft. Grooved .935 in. x 5.4 in. x 16 ft. Grooved .935 in. x 5.4 in. x 20 ft. Grooved .935 in. x 5.4 in. x 12 ft. Grooved .935 in. x 5.4 in. x 16 ft. Grooved .935 in. x 5.4 in. x 20 ft. Grooved .935 in. x 5.4 in. x 12 ft. Grooved .935 in. x 5.4 in. x 16 ft. Grooved .935 in. x 5.4 in. x 20 ft. Grooved	BRDTHG IPE 12 BRDTHG IPE 16 BRDTHG IPE 20 BRDTHG ROS 12 BRDTHG ROS 16 BRDTHG ROS 20 BRDTHG TUDOR 12 BRDTHG TUDOR 16 BRDTHG TUDOR 20 BRDTHG CSGRAY 12 BRDTHG CSGRAY 16 BRDTHG CSGRAY 20 BRDTHG GRYSTN 12 BRDTHG GRYSTN 16 BRDTHG GRYSTN 20	Horizon Ipe Horizon Ipe Horizon Ipe Horizon Rosewood Horizon Rosewood Horizon Rosewood Horizon Tudor Brown Horizon Tudor Brown Horizon Tudor Brown Horizon Tudor Brown Horizon Castle Gray Horizon Castle Gray Horizon Castle Gray Horizon Greystone Horizon Greystone Horizon Greystone	
	 <p>Horizon Square Edge Decking</p>	.935 in. x 5.4 in. x 20 ft. Square Edge .935 in. x 5.4 in. x 20 ft. Square Edge .935 in. x 5.4 in. x 20 ft. Square Edge .935 in. x 5.4 in. x 20 ft. Square Edge .935 in. x 5.4 in. x 20 ft. Square Edge	BRDTH IPE 20 BRDTH ROS 20 BRDTH TUDOR 20 BRDTH CSGRAY 20 BRDTH GRYSTN 20	Horizon Ipe Horizon Rosewood Horizon Tudor Brown Horizon Castle Gray Horizon Greystone
	 <p>Horizon Fascia</p>	.75 in. x 11.25 in. x 12 ft. Fascia Board .75 in. x 11.25 in. x 12 ft. Fascia Board .75 in. x 11.25 in. x 12 ft. Fascia Board .75 in. x 11.25 in. x 12 ft. Fascia Board .75 in. x 11.25 in. x 12 ft. Fascia Board	HCFAS IPE 12 HCFAS ROS 12 HCFAS TUDOR 12 HCFAS CSGRAY 12 HCFAS GRYSTN 12	Horizon Ipe Horizon Rosewood Horizon Tudor Brown Horizon Castle Gray Horizon Greystone
	Fiberon Mineral Cleaner for Capped Composite Decking	DECK CLEANER 1GAL	-	

Profile	Description	Item Number	Colors	
 <p>ProTect Advantage Grooved Decking</p>	.93 in. x 5.4 in. x 12 ft. Grooved	BRDPRTFG WC 12	ProTect Advantage Western Cedar	
	 <p>ProTect Advantage Square Edge Decking</p>	.93 in. x 5.4 in. x 16 ft. Grooved .93 in. x 5.4 in. x 20 ft. Grooved .93 in. x 5.4 in. x 12 ft. Grooved .93 in. x 5.4 in. x 16 ft. Grooved .93 in. x 5.4 in. x 20 ft. Grooved .93 in. x 5.4 in. x 12 ft. Grooved .93 in. x 5.4 in. x 16 ft. Grooved .93 in. x 5.4 in. x 20 ft. Grooved .93 in. x 5.4 in. x 12 ft. Grooved .93 in. x 5.4 in. x 16 ft. Grooved .93 in. x 5.4 in. x 20 ft. Grooved	BRDPRTFG WC 16 BRDPRTFG WC 20 BRDPRTFG CN 12 BRDPRTFG CN 16 BRDPRTFG CN 20 BRDPRTFG GB 12 BRDPRTFG GB 16 BRDPRTFG GB 20 BRDPRTFG HG 12 BRDPRTFG HG 16 BRDPRTFG HG 20	ProTect Advantage Western Cedar ProTect Advantage Western Cedar ProTect Advantage Western Cedar ProTect Advantage Chestnut ProTect Advantage Chestnut ProTect Advantage Chestnut ProTect Advantage Gray Birch ProTect Advantage Gray Birch ProTect Advantage Gray Birch ProTect Advantage Harbor Gray ProTect Advantage Harbor Gray ProTect Advantage Harbor Gray
	 <p>ProTect Advantage Fascia</p>	.93 in. x 5.4 in. x 20 ft. Square Edge .93 in. x 5.4 in. x 20 ft. Square Edge .93 in. x 5.4 in. x 20 ft. Square Edge .93 in. x 5.4 in. x 20 ft. Square Edge	BRDPRTF WC 20 BRDPRTF CN 20 BRDPRTF GB 20 BRDPRTF HG 20	ProTect Advantage Western Cedar ProTect Advantage Chestnut ProTect Advantage Gray Birch ProTect Advantage Harbor Gray
 <p>Good Life Grooved Decking</p>	.75 in. x 11.25 in. x 12 ft. Fascia Board .75 in. x 11.25 in. x 12 ft. Fascia Board .75 in. x 11.25 in. x 12 ft. Fascia Board .75 in. x 11.25 in. x 12 ft. Fascia Board	HCFAS WESTERN CDR 12 HCFAS CHESTNUT 12 HCFAS GRAY BIRCH 12 HCFAS HARBOR GRAY12	ProTect Advantage Western Cedar ProTect Advantage Chestnut ProTect Advantage Gray Birch ProTect Advantage Harbor Gray	
	 <p>Good Life Square Edge Decking</p>	.75 in. x 7.25 in. x 12 ft. Riser Board .75 in. x 7.25 in. x 12 ft. Riser Board .75 in. x 7.25 in. x 12 ft. Riser Board .75 in. x 7.25 in. x 12 ft. Riser Board	HCRIS WESTERN CEDAR 12 HCRIS CHESTNUT 12 HCRIS GRAY BIRCH 12 HCRIS HARBOR GRAY 12	ProTect Advantage Western Cedar ProTect Advantage Chestnut ProTect Advantage Gray Birch ProTect Advantage Harbor Gray
	 <p>Classic Square Edge Decking</p>	.93 in. x 5.3 in. x 12 ft. Grooved .93 in. x 5.3 in. x 12 ft. Grooved .93 in. x 5.3 in. x 12 ft. Grooved .93 in. x 5.3 in. x 16 ft. Grooved .93 in. x 5.3 in. x 16 ft. Grooved .93 in. x 5.3 in. x 16 ft. Grooved .93 in. x 5.3 in. x 20 ft. Grooved .93 in. x 5.3 in. x 20 ft. Grooved .93 in. x 5.3 in. x 20 ft. Grooved	BRDGDG CB 12 BRDGDG CB 16 BRDGDG CB 20 BRDGDG CT 12 BRDGDG CT 16 BRDGDG CT 20 BRDGDG VL 12 BRDGDG VL 16 BRDGDG VL 20	Good Life Cabin Good Life Cabin Good Life Cabin Good Life Cottage Good Life Cottage Good Life Cottage Good Life Villa Good Life Villa Good Life Villa
  <p>Deck Spacer</p> <p>Ballistic NailScrew Driver</p>	.93 in. x 5.3 in. x 20 ft. Square Edge .93 in. x 5.3 in. x 20 ft. Square Edge .93 in. x 5.3 in. x 20 ft. Square Edge	BRDGDG CB 20 BRDGDG CT 20 BRDGDG VL 20	Good Life Cabin Good Life Cottage Good Life Villa	
	.75 in. x 11.25 in. x 12 ft. Fascia Board .75 in. x 11.25 in. x 12 ft. Fascia Board .75 in. x 11.25 in. x 12 ft. Fascia Board	HCFAS CB 12 HCFAS CT 12 HCFAS VL 12	Good Life Cabin Good Life Cottage Good Life Villa	
 <p>Classic Decking</p>	.92 in. x 5.25 in. x 12 ft. Square Edge .92 in. x 5.25 in. x 16 ft. Square Edge .92 in. x 5.25 in. x 20 ft. Square Edge .92 in. x 5.25 in. x 12 ft. Square Edge .92 in. x 5.25 in. x 16 ft. Square Edge .92 in. x 5.25 in. x 20 ft. Square Edge	BRDCLS TIMBER 12 BRDCLS TIMBER 16 BRDCLS TIMBER 20 BRDCLS GRANITE 12 BRDCLS GRANITE 16 BRDCLS GRANITE 20	Classic Timber Classic Timber Classic Timber Classic Granite Classic Granite Classic Granite	
	.75 in. x 11.25 in. x 12 ft. Fascia Board .75 in. x 11.25 in. x 12 ft. Fascia Board	BRDCLS FAS TIMBER 12 BRDCLS FAS GRANIT 12	Classic Timber Classic Granite	
	Ensures proper deck board spacing Hidden Fasteners End clip fastener for deck and fascia Hidden fasteners - 900 count bucket Hidden fastener - 900 count bucket - ballistic screws Ballistic NailScrew Driver Kit Ballistic NailScrew Driver Attachment	DECK SPACER BKT BRD PHTM GT B90 BKT BRD FIB SRT/STP BKT BRD FIBERON C900 BKT BRD FIB GUN C900	Red Black Black Black -	
	BKT BRD FIB GUN BKT BRD FIB GUN ATCH	-	-	

Fiberon® Product Information: *Decking and Railing*

Profile	Description	Item Number	Colors
 <p><i>Bottom</i> <i>Top</i> <i>Bevel Post Sleeve Cap</i> <i>Post Sleeve Moulding</i></p>	6 ft. section KD w/hardware (15-31.5 in. balusters & crush block)	SEC13 D 6 KD 31.5 AC	White
	6 ft. section KD w/hardware (15-38 in. balusters & crush block)	SEC13 D 6 KD W/H38AC	White
	8 ft. section KD w/hardware (20-31.5 in. balusters & crush block)	SEC13 D 8 KD 31.5 AC	White
	8 ft. section KD w/hardware (20-38 in. balusters & crush block)	SEC13 D 8 KD W/H38AC	White
	6 ft. stair section KD w/hardware (15-31.5 in. balusters w/30 stair adapters & crush block)	SEC13 DS 6 KD 31.5 AC	White
	6 ft. stair section KD w/hardware (15-38 in. balusters w/30 stair adapters & crush block)	SEC13 DS 6KD W/H38AC	White
 <p><i>4 in. x 4 in. x 37 in. Fiberail Post Sleeve Kit</i> <i>Bevel Post Sleeve Cap</i> <i>Post Sleeve Moulding</i></p>	37 in. Fiberail post sleeve kit (includes bevel cap & base moulding)	POST SL KIT 37WH C	White
	100 in. Fiberail stair post sleeve (4x4x100 No Bead)	POST SL CMP 100 WH C	White
	4 in. bevel post cap	CAP BEVEL 4 WH C	White
	4 in. post moulding	POST SL MLDG 4 W C	White
	4 pack rail brackets - AC/174	BKT D 4 PK AC	White
	2 pack stair brackets - AC/174	BKT DS 2 PK AC	White
 <p><i>ADA Post Return</i> <i>ADA Straight Wall Return</i> <i>ADA End Loop</i> <i>ADA 90° Degree Corner</i> <i>ADA 104 in. Round Handrail Kit</i> <i>ADA Wall Return Kit</i> <i>ADA Handrail Bracket Kit</i> <i>ADA 90° insert Corner Bracket 4 pack</i> <i>ADA Handrail Bracket Kit</i> <i>ADA 90° insert Corner Bracket 4 pack</i> <i>ADA Adjustable Joiner 4 Pack</i> <i>ADA Rail End Cap 4 Pack</i></p>	ADA 104 in. round handrail kit	HR RAIL 104 WH	White
	ADA wall return kit	HR WALL RETURN WH	White
	ADA straight wall return kit	HR STRGT WALL RTN WH	White
	ADA handrail bracket kit	HR HAND RAIL BKT WH	White
	ADA 90 degree corner	HR 90 DEGREE CRNR WH	White
	ADA end loop	HR END LOOP WH	White
	ADA post return	HR POST RETURN WH	White
	ADA joint ring 4 pack	HR JOINT RING WH	White
	ADA rail end cap 4 pack	HR RAIL END CAP WH	White
	ADA wall return cover plate 4 pack	HR BKT RTN CV PLT WH	White
	ADA 90° insert corner bracket 4 pack	HR 90DEG INSD BKT WH	White
	ADA 104 in. round handrail kit	HR RAIL 104 BN	Brown
	ADA wall return kit	HR WALL RETURN BN	Brown
	ADA straight wall return kit	HR STRGT WALL RTN BN	Brown
	ADA handrail bracket kit	HR HAND RAIL BKT BN	Brown
	ADA 90 degree corner	HR 90 DEGREE CRNR BN	Brown
	ADA end loop	HR END LOOP BN	Brown
	ADA post return	HR POST RETURN BN	Brown
	ADA joint ring 4 pack	HR JOINT RING BN	Brown
	ADA rail end cap 4 pack	HR RAIL END CAP BN	Brown
ADA wall return cover plate 4 pack	HR BKT RTN CV PLT BN	Brown	
ADA 90° insert corner bracket 4 pack	HR 90DEG INSD BKT BN	Brown	
ADA 104 in. round handrail kit	HR RAIL 104 BL	Black	
ADA wall return kit	HR WALL RETURN BL	Black	
ADA straight wall return kit	HR STRGT WALL RTN BL	Black	
ADA handrail bracket kit	HR HAND RAIL BKT BL	Black	
ADA 90 degree corner	HR 90 DEGREE CRNR BL	Black	
ADA end loop	HR END LOOP BL	Black	
ADA post return	HR POST RETURN BL	Black	
ADA joint ring 4 pack	HR JOINT RING BL	Black	
ADA rail end cap 4 pack	HR RAIL END CAP BL	Black	
ADA wall return cover plate 4 pack	HR BKT RTN CV PLT BL	Black	
ADA 90° insert corner bracket 4 pack	HR 90DEG INSD BKT BL	Black	
ADA adjustable joiner 4 pack	HR ADJUSTABLE JOINER	-	
ADA straight joiner 4 pack	HR STRAIGHT JOINER	-	

Fiberon® Product Information: *Decking and Railing*

Profile	Description	Item Number	Colors
 <p><i>Post Cap Light</i> <i>Post Cap</i></p>	Recessed 10 LED kit	REC LED KIT WHITE	White
	Recessed LED 10 pack	REC LED 10PK WHITE	White
 <p><i>Riser Light</i> <i>Side Post Light</i></p>	Recessed LED 2 pack	REC LED 2 PK WHITE	White
	Recessed light bit	REC DRILL BIT	-
 <p><i>Accent Light</i> <i>Recessed Light Bit</i></p>	2 in. - 1 bit (3/4 in. and 1-1/8 in.)		
	4 in. flat top LED 1 watt post cap	CAP FLAT LED 4 WHITE	White
 <p><i>Remote Dimmer 12 Volt DC</i> <i>Transformer</i></p>	4 in. flat top post cap	CAP FLAT 4 WHITE	White
	3.5 in. LED 12 volt 1 watt eyeball light	POST EYEBALL LT WH	White
 <p><i>Remote Dimmer Handheld</i> <i>Silicone Filled Wire Nuts</i></p>	Recessed riser light 12 volt 1 watt LED	RISER LIGHT WHITE	White
	4 in. flat top LED 1 watt post cap	CAP FLAT LED 4 DW	Dark Walnut
 <p><i>Low Voltage Wire 100 ft.</i> <i>Silicone Filled Wire Nuts</i></p>	4 in. flat top post cap	CAP FLAT 4 DW	Dark Walnut
	3.5 in. LED 12 volt 1 watt eyeball light	POST EYEBALL LT DW	Dark Walnut
 <p><i>Remote Dimmer Handheld</i> <i>Silicone Filled Wire Nuts</i></p>	Recessed riser light 12 volt 1 watt LED	RISER LIGHT DW	Dark Walnut
	4 in. flat top LED 1 watt post cap	CAP FLAT LED 4 BRONZ	Bronze
 <p><i>Remote Dimmer Handheld</i> <i>Silicone Filled Wire Nuts</i></p>	4 in. flat top post cap	CAP FLAT 4 BRONZE	Bronze
	3.5 in. LED 12 volt 1 watt eyeball light	POST EYEBALL LT BZ	Bronze
 <p><i>Remote Dimmer Handheld</i> <i>Silicone Filled Wire Nuts</i></p>	Recessed riser light 12 volt 1 watt LED	RISER LIGHT BRONZE	Bronze
	4 in. flat top LED 1 watt post cap	CAP FLAT LED 4 BLACK	Black
 <p><i>Remote Dimmer Handheld</i> <i>Silicone Filled Wire Nuts</i></p>	4 in. flat top post cap	CAP FLAT 4 BLACK	Black
	3.5 in. LED 12 volt 1 watt eyeball light	POST EYEBALL LT BL	Black
<p><i>Remote Dimmer Handheld</i> <i>Silicone Filled Wire Nuts</i></p>	Recessed riser light 12 volt 1 watt LED	RISER LIGHT BLACK	Black
	LED low voltage wire, 100 ft. 18/2GA (12 volt DC)	REC 10 18/2GA WIRE	-
<p><i>Remote Dimmer Handheld</i> <i>Silicone Filled Wire Nuts</i></p>	DC remote dimmer, DC systems only (12 volt DC)	REC REMOTE DIMMER	-
	DC transformer (use up to 120 Phoenix lights - 12 volt DC)	REC TRANSFORMER	-
<p><i>Remote Dimmer Handheld</i> <i>Silicone Filled Wire Nuts</i></p>	DC transformer (5amp 60 watt 12V DC Transformer)	REC TRANSFORMER 60W	-
	Silicone filled wire nuts - 10 pack	REC WIRE NUTS 10PK	-
<p><i>Remote Dimmer Handheld</i> <i>Silicone Filled Wire Nuts</i></p>	Photoelectric timer 110 volt (1-8 hour operation)	REC 110V TIMER	-

Fiberon® - Care and Maintenance

Classic Decking

Important Considerations

- Ensure minimum six inches of ventilation under deck substructure and required spacing between decking boards.
- Improve drainage or grade soil to eliminate standing water under decks.
- Direct downspouts, downspout extensions and splash guards away from decks.
- Position dryer vents away from decks.
- Maintain a deck that is dry and clean.
- Clean your deck as often as needed, at least twice each year.
- Use extreme caution with pressure washers and use at pressures less than 1,500 psi at 12" above deck surface. Pressure washing is not recommended when mold/mildew are present on the deck.
- Keep debris out of gaps between the decking boards so rain showers can remove pollen and organic debris between cleanings.
- Minimize the use of wet mulch up against the deck structure.
- Items stored directly on top of the deck surface, such as flower pots, prohibit water evaporation and can cause some staining of the deck surface.
- Use of wrought iron railing or other carbon steel materials in contact with or above an uncapped composite deck surface may cause dark extractive staining.

Ventilation

Make sure there is adequate and unobstructed air flow under the deck to prevent excessive water absorption. Improve drainage or grade flat areas where standing water may gather. For decks with limited ventilation, 6" of clear ventilation is required.

Mind the Gap

If the gap between decking boards is less than 3/16", organic debris such as leaves, seeds or pollen can settle on the deck and clog gaps. Water can pool, steeping organic debris that forms a "tea" or of tannin which may stain your deck. This organic debris is a strong food source for mold. Keeping the gap clean is the easiest way to keep the deck clean. If gapping becomes clogged, use a garden hose, a spatula, putty knife or similar tool to remove debris.

Clean Your Deck

Clean your deck as often as needed, at least twice each year to remove pollen, organic debris, dirt or stains. Generally, a broom or a blower will work better than a hose for removing scattered organic materials like leaves. For general cleaning, use soap and water or mild household cleaners.

Dirt and Grime

Dislodge accumulated dirt with a broom or by using soap and water and a non-metal scrub brush. Scrubbing in the direction of the grain is best. Thoroughly rinse off with a garden hose. Skilled professionals may use a pressure washer with wide fan tips, at low pressures under 1,500 psi and at safe distances, 12" above deck. In the wrong hands, your composite deck can be damaged. Exercise extreme caution.

Oil and Grease Stains

Speedy clean up is best. To clean grease and oil stains that soap and water cannot remove, some all purpose cleaners, such as Fantastik, will cut through grease and grime. Or use a commercial deck cleaner designed specifically for your type of decking. De-Solv-It Citrus Solution is effective in removing tar, asphalt, oil, grease and chewing gum. Be sure to follow the manufacturer's recommendations and test in an inconspicuous area prior to cleaning the entire deck.

Important Ladder Usage Safety Instructions

When using a ladder, place the ladder on a piece of 3/4 in. plywood firmly secured to the deck surface to disperse the load of the ladder's feet to nearby underlying joists. Drill fasteners downward through the top of the plywood sheet, into the deck board gaps and into the joists to keep the plywood from slipping. This avoids leaving holes in your decking once the plywood sheet is removed. Be sure to follow the ladder manufacturer's instructions and safety tips.

Mold and Mildew

Different climates experience varying degrees of mold and mildew growth depending on the amount of moisture, heat, and food sources present. Molds grow on decaying organic material such as wood, leaf decay and pollen. To minimize mold on your decking, clean your deck at least twice each year, or as often as needed. Prudent removal of leaves, debris, and other organic materials is the goal. If mold is present on your deck, there are many commercial products available for cleaning. For best results, be sure to follow the manufacturer's instructions, including using cleaners within their stated shelf life. Do not mix recommended cleaning products together as harmful chemical reactions could occur, and NEVER mix bleach and acids. To maximize application coverage, remove excessive organic growth or clumps prior to applying. Spray surface to be treated when surface is DRY and rain is not predicted for 12 hours or longer. Fiberon recommends the following commercial cleaners:

For thorough cleaning:

- Collier Manufacturing 30 SECONDS® Outdoor Cleaner® (contents: Sodium Hypochlorite (bleach), Trisodium Phosphate, inert ingredients). Be sure to follow the manufacturer's instructions:
 - o Apply 30 SECONDS Outdoor Cleaner® when the surface is DRY.
 - o Keep surface wet with the product for 4-5 minutes.
 - o Foaming will occur during cleaning, and will appear dirty while cleaning.
 - o Brush the surface if necessary, to loosen stubborn build up.
 - o Prior to rinsing, re-application may be necessary where heavy build up occurs.
 - o Using a garden hose, thoroughly rinse with water, and allow to thoroughly dry.
 - o Continue to reapply 30 SECONDS® Outdoor Cleaner® in multiple applications until solution sprayed onto surface stays clear and white.
 - o Using a garden hose, thoroughly rinse with water, and allow to thoroughly dry.

After Cleaning and seasonally before mold or mildew colonize, (i.e. Spring and Fall application):

- Collier Manufacturing 30 SECONDS® Spray and Walk Away®: 30 SECONDS® Spray and Walk Away® does not show immediate results, but works as a treatment, killing the growth slowly and effectively over time without damaging the surface. Some lichen and moss may take a week to remove or show signs of decay. If the surface to be treated is not fully exposed to rainfall or is vertical, then some additional wetting of the surface may be required. Reapplication may be required where heavy growth persists. Do not repeat treatment more than (6) times per year. Shake contents before use and be sure to follow the manufacturer's instructions:

- o Mix one part to five parts water (1:5 mix ratio). 1 gallon makes 6 gallons and treats approximately 1000 sq. ft. (depending on the mold growth and porosity of the surface).
- o Thoroughly saturate surfaces to be treated.
- o After use, clean and flush applicator thoroughly with water. If you prefer immediate results, we recommend 30 SECONDS® Outdoor Cleaner®.

Coating Options

For environments of the country prone to high mold growth, there are several options available for clean and uncapped composite decking. Prior to coating, properly clean the decking, rinse thoroughly with water and hose, and allow to completely dry. Sweep off any debris, pollen, etc. Coating should be applied within 1 week of cleaning for best results. Fiberon has found the following coating effective on uncapped composite boards by sealing the wood composite surface when applied and maintained as per the manufacturer's instructions.

Behr Premium Transparent Deck, Fence, and Siding Weatherproofing Wood Finish at <http://www.behr.com>.

- A transparent stain, this product can darken and rejuvenate the faded deck color. Please test in an inconspicuous area prior to full application.
- Proper application can last up to four years on decks, and six years on fencing.

Behr Premium Solid Color Deck, Fence and Siding Weatherproofing Wood Stain

- A solid colored stain offered in all Fiberon composite decking solid colors.
- Proper application can last up to 10 years on decks, and 25 years on fencing.

Tannin Stains

Tannins naturally occur in all wood species and sometimes migrate to the surface where wood fibers are exposed to sun and water. Tannin stains tend to disappear naturally after removal of standing water under mats, flower pots or umbrella stands where water is trapped for longer periods of time. To hasten removal of tannin stains, use a commercial deck cleaner designed specifically for your type of decking, strictly following the manufacturer's instructions. One effective treatment is a mixture of one cup TSP, one cup bleach and one gallon warm water, applied with a long-handled deck. To help protect landscaping, we recommend wetting down landscaping prior to treatment.

Salt and Calcium Chloride

Build up of salt and calcium chloride from snow and ice removal is easily removed with enough water and perhaps a light scrub. Use a garden hose or sprayer. If using a pressure washer, use at low pressures under 1,500 psi and at safe distances, 12" above deck, to avoid damaging your deck. Never use METAL shovels or sharp edged tools to remove snow and ice on the surface of any Fiberon composite or PVC decking product.

Construction Chalk

Colored chalk, used in construction for marking straight lines prior to cutting, is permanent on most surfaces. Contact the manufacturer of the specific brand and color of chalk for a cleaning solution that may prove effective. The best advice is to avoid colored chalk, using workable alternatives such as white chalk or baby powder.

Fire and Unusual Heat Sources

Composite decking will retain heat when exposed to direct or reflective sunlight. Exercise caution if walking barefoot as footwear may be required. Fire and unusual sources of heat and heat build-up can possibly damage Fiberon decking surfaces. Examples would include fire, reflected light from different types of glass (ex. low-e glass), fire features and under-deck waterproofing installations that do not provide the 6 in. (15 cm) of unobstructed net free ventilation.

- *Low-E Glass/Reflected Heat*
Low-emissivity glass is designed to prevent heat gain inside the house by reflecting sunlight outward. This reflective property can result in excessive heat build on the surface of Fiberon decking. The properties that Low-E glass employs to prevent passive heat gain within a structure can result in unusual heat build-up on exterior surfaces. When the sunlight is reflected and concentrated it can harm a range of building materials that include doors, windows, siding, trim and decking. Damage caused to these products can include melting, sagging, warping, discoloration, increased expansion and contraction, and accelerated weathering. If you have questions on how to reduce this risk, contact the manufacturer of the product which contains the Low-E glass for suggestions on how to reduce or eliminate the reflected heat.

- *Under-deck Waterproofing Systems*
Under-deck waterproofing systems, properly installed, can provide additional living or storage space. Improper installations are those that restrict air flow and result in build-up of heat and/or humidity which can result in unwanted consequences. Contact the manufacturer of the specific under-deck waterproofing system for installation instructions to ensure the required 6 in. (15 cm) of unobstructed ventilation is achieved for Fiberon decking. If already installed, seek methods to achieve the ventilation requirement.

- *Fire Features/Fire Pits*
Fire features and fire pits are increasingly popular in outdoor living environments. Fire can damage many building products including Fiberon decking. Improperly installed fire features and fire pits can cause damage to the surface of Fiberon decking via direct exposure to the flame or excessive radiated heat. Proper caution should be taken when designing, installing and using these features to ensure damage does not result.

Static

Dry or windy environments may create a temporary condition of static electricity, which will vary depending on climate and site conditions.

For further information, contact:

Fiberon, Consumer and Technical Support Department

181 Random Dr., New London, NC 28127

phone 800-573-8841 | fax 704-463-1750 | email info@fiberondecking.com | www.fiberondecking.com

FIB-0104-LIT REV E 10/12

For the most up-to-date information and specifications, visit fiberondecking.com or call 1-800-573-8841.

Fibron® - Care and Maintenance

Paramount™, Horizon®, ProTect Advantage™ and Good Life™ Decking

Important Considerations

- Ensure minimum six inches of ventilation under deck substructure and required spacing between decking boards.
- Improve drainage or grade soil to eliminate standing water under decks.
- Direct downspouts, downspout extensions and splash guards away from decks.
- Position dryer vents away from decks.
- Maintain a deck that is dry and clean.
- Clean your deck as often as needed, at least twice each year.
- Use extreme caution with pressure washers and use at pressures less than 1,500 psi at 12” above deck surface. Pressure washing is not recommended when mold/mildew are present on the deck.
- Keep debris out of gaps between the decking boards so rain showers can remove pollen and organic debris between cleanings.
- Minimize the use of wet mulch up against the deck structure.
- Items stored directly on top of the deck surface, such as flower pots, prohibit water evaporation and can cause some staining on the deck surface.

Ventilation

Make sure there is adequate and unobstructed air flow under the deck to prevent excessive water absorption. Improve drainage or grade flat areas where standing water may gather. For decks with limited ventilation, six inches of clear ventilation is required between bottom of joists and fascia to grade.

Mind the Gap

If the gap between decking boards is less than 3/16”, organic debris such as leaves, seeds or pollen can settle on the deck and clog gaps. Water can pool, steeping organic debris that forms a “tea” or of tannin which may stain your deck. This organic debris is a strong food source for mold. Keeping the gap clean is the easiest way to keep the deck clean. If gapping becomes clogged, use a garden hose, a spatula, putty knife or similar tool to remove debris.

Clean Your Deck

Clean your deck as often as needed, at least twice each year to remove pollen, organic debris, dirt or stains. Generally, a broom or a blower will work better than a hose for removing scattered organic materials like leaves. For general cleaning, use soap and water or mild household cleaners.

Masonry Construction

It is important to protect decking during masonry construction. White or hazy residue from mineral deposits (efflorescence) can leach out of stone and masonry materials after water evaporates leaving the deposits behind. Minerals from soils in certain arid and mountainous environments can also cause a hazing affect when deposited on the deck surface.

This can only be prevented with complete and secure coverage of the decking surface area during the construction phase or installation of the decking after the masonry construction phase. To minimize this affect during masonry construction, keep materials dry and allow masonry and cement to cure properly.

For mineral deposits left on the decking surface, periodic cleaning is required to maintain visual attractiveness. Fibron developed Fibron Composite Deck Cleaner specifically formulated for, and effective in cleaning dirt, clay, mud, soil, mineral deposits and masonry and stucco residue. Be sure to follow the label instructions. Do not mix recommended cleaning products together as harmful chemical reactions could occur.

Important Ladder Usage Safety Instructions

When using a ladder, place the ladder on a piece of ¾” plywood firmly secured to the deck surface to disperse the load of the ladder’s feet to nearby underlying joists. Drill fasteners downward through the top of the plywood sheet, into the deck board gaps and into the joists to keep the plywood from slipping. This avoids leaving holes in your decking once the plywood sheet is removed. Be sure to follow the ladder manufacturer’s instructions and safety tips.

Mold and Mildew

Mold and mildew are common environmental conditions. Molds grow on decaying organic material such as wood, leaf decay and pollen. Tiny and lightweight, mold spores travel easily through the air. Different climates experience varying degrees of these conditions depending on the amount of moisture and heat present.

To thrive, mold and mildew need air, water, elevated temperatures and a food source. There is no way to eliminate all these conditions in the environment. A wide variety of building materials including concrete, wood products, vinyl siding and many others are subject to potential mold growth.

To minimize mold on your decking, clean your deck as often as needed, at least twice each year. Climate conditions vary in different regions of the country and may necessitate more periodic cleaning. Removal of leaves, debris, and other organic materials that provide a food source for mold development is important. If mold is present on your deck, use soap and water to clean. For more information on cleaning mold and mildew, see Fibron Technical Bulletin # 13 at this link, <http://www.fibrondecking.com/design/literatureCenter>.

Dirt and Grime

Dislodge accumulated dirt with a broom or by using soap and water and a non-metal scrub brush. Scrubbing in the direction of the grain is best. Thoroughly rinse off with a garden hose.

Skilled professionals may use a pressure washer with wide fan tips, at low pressures under 1,500 psi and at safe distances, 12” above deck. In the wrong hands, your composite deck can be damaged. Exercise extreme caution.

Oil and Grease Stains

Speedy clean up is best. To clean grease and oil stains that soap and water cannot remove, some all purpose cleaners, such as Fantastik, will cut through grease and grime. Or use a commercial deck cleaner designed specifically for your type of decking. De-Solv-It Citrus Solution is effective in removing tar, asphalt, oil, grease and chewing gum. Be sure to follow the manufacturer’s recommendations and test in an inconspicuous area prior to cleaning the entire deck.

Salt and Calcium Chloride

Build up of salt and calcium chloride from snow and ice removal is easily removed with enough water and perhaps a light scrub. Use a garden hose or sprayer. If using a pressure washer, use at low pressures under 1,500 psi and at safe distances, 12” above deck, to avoid damaging your deck. Never use METAL shovels or sharp edged tools to remove snow and ice on the surface of any Fibron composite or PVC decking product.

Fire and Unusual Heat Sources

Composite decking will retain heat when exposed to direct or reflective sunlight. Exercise caution if walking barefoot as footwear may be required. Fire and unusual sources of heat and heat build-up can possibly damage Fibron decking surfaces. Examples would include fire, reflected light from different types of glass (ex. low-e glass), fire features and under-deck waterproofing installations that do not provide the 6”(15 cm) of unobstructed net free ventilation.

- *Low-E Glass/Reflected Heat*

Low-emissivity glass is designed to prevent heat gain inside the house by reflecting sunlight outward. This reflective property can result in excessive heat build on the surface of Fibron decking. The properties that Low-E glass employs to prevent passive heat gain within a structure can result in unusual heat build-up on exterior surfaces.

When the sunlight is reflected and concentrated it can harm a range of building materials that include doors, windows, siding, trim and decking. Damage caused to these products can include melting, sagging, warping, discoloration, increased expansion and contraction, and accelerated weathering.

If you have questions on how to reduce this risk, contact the manufacturer of the product which contains the Low-E glass for suggestions on how to reduce or eliminate the reflected heat.

- *Under-deck waterproofing systems*

Under-deck waterproofing systems, properly installed, can provide additional living or storage space. Improper installations are those that restrict air flow and result in build-up of heat and/or humidity which can result in unwanted consequences. Contact the manufacturer of the specific under-deck waterproofing system for installation instructions to ensure the required 6” (15 cm) of unobstructed ventilation is achieved for Fibron decking. If already installed, seek methods to achieve the ventilation requirement.

- *Fire Features/Fire Pits*

Fire features and fire pits are increasingly popular in outdoor living environments. Fire can damage many building products including Fibron decking. Improperly installed fire features and fire pits can cause damage to the surface of Fibron decking via direct exposure to the flame or excessive radiated heat. Proper caution should be taken when designing, installing and using these features to ensure damage does not result.

Static

Dry or windy environments may create a temporary condition of static electricity, which will vary depending on climate and site conditions.

Fibron Paramount Decking

Recommended cleaners include Simple Green, Krud Kutter Cleaner Degreaser. Follow the manufacturer’s instructions and test in an inconspicuous area to make sure cleaner does not harm the decking surface. Avoid the use of rubber or vinyl products on Paramount Decking as a reaction could occur resulting in discoloration under the rubber or vinyl product. Certain chemical ingredients in products such as insect repellent and sunblock could cause a reaction and result in a stain on the decking surface.

For further information, contact:
Fibron, Consumer and Technical Support Department
181 Random Dr., New London, NC 28127
phone 800-573-8841 | fax 704-463-1750 | email info@fibrondecking.com | www.fibrondecking.com

FIB-0207-LIT REV E 7/12

For the most up-to-date information and specifications, visit fibrondecking.com or call 1-800-573-8841.

PLEASE READ THIS WARRANTY CAREFULLY BEFORE PURCHASING, USING OR INSTALLING YOUR FIBERON PRODUCT. THIS WARRANTY IS A BASIS OF THE BARGAIN AND PURCHASE OF THE FIBERON PRODUCT AND SETS FORTH THE ENTIRE WARRANTY AND RESPONSIBILITY OF FIBERON. PURCHASE AND USE OF THE FIBERON PRODUCT CONSTITUTES ACCEPTANCE OF AND AGREEMENT TO THESE TERMS. SECTION 5 CONTAINS A BINDING ARBITRATION CLAUSE AND CLASS ACTION WAIVER THAT AFFECTS YOUR RIGHTS ABOUT HOW TO RESOLVE ANY DISPUTE WITH FIBERON.

1. WARRANTY COVERAGE.

Fiber Composites LLC, individually and doing business as Fiberon (“Fiberon”) warrants the stain and fade resistance of Fiberon Decking products when properly installed and used as decking in residential applications. This warranty applies only to Fiberon decking products listed below and manufactured by Fiberon and is extended to the original homeowner (Purchaser), as long as they own the residence upon which the decking materials are installed.

25-Year Coverage: Fiberon® Horizon® Decking, Fiberon® ProTect Advantage™ Decking, Fiberon® ProTect® Decking, Fiberon® Sanctuary® Decking, Fiberon® Good Life™ Decking

20-year Coverage: Veranda® ArmorGuard® Decking, Fiberon® Terranova® Xtreme Decking, Fiberon® Terranova® Xtreme Wide Decking

Stain Resistance: Fiberon warrants that the Fiberon Products named above are and will be from the date of residential consumer purchase for the term coverage stated above, resistant to permanent staining resulting from spills of food and beverage items that would typically be present on a residential deck, provided that the Fiberon Products were installed, cared for and maintained in accordance with the Fiberon written instructions, the Fiberon Care and Maintenance Instructions found on www.fiberondecking.com and the conditions stated above.

Fade Resistance: Fiberon warrants that the Fiberon Products are and will be, from the date of residential consumer purchase for the term coverage stated above, resistant to color change from light and weathering exposure as measured by color change in excess of 5 Delta E (Hunter) units provided that the Fiberon products were installed, cared for and maintained in accordance with the Fiberon written instructions and the Fiberon Care and Maintenance instructions found on www.fiberondecking.com and the conditions stated below.

Exclusions from/Voiding Stain and Fade Warranty Coverage: Fiberon does not warrant its Fiberon Products to be stain or fade proof. When installed, cared for and maintained properly in the residential exterior deck environment, Fiberon Decking products provide stain and fade resistance. However, no material is stain or fade proof, especially but not only when stains result from spilled or otherwise substances that are not properly cleaned or when the materials are exposed to years of UV exposure and the elements.

Without limitation on any other provision of this Limited Warranty, Fiberon does not warrant for stain resistance resulting from spilled or otherwise applied substances that are not properly cleaned with soap and water or mild household cleaners immediately.

All warranties are void and excluded in their entirety in any of the following events:

- Failure to install, care for and maintain the Fiberon Products in accordance with the Fiberon written instructions, and the Fiberon Care and Maintenance instructions found on www.fiberondecking.com and the conditions stated below voids all warranties in their entirety.
- Use of abrasive compounds of acidic or basic pH, strong solvents, oil based paints or stains, metallic rust, concrete or masonry products, air or water borne minerals and other abnormal residential deck use items will damage the Fiberon Products and voids all warranties in their entirety.
- Direct or indirect contact with the Fiberon Products of extreme heat sources (over 250 degrees) voids all warranties in their entirety.
- Damaging, gouging, scraping or puncturing the surface of the Fiberon Products voids all warranties in their entirety.
- Paint or applying other coating materials to Fiberon Products voids all warranties in their entirety.

Compliance with the Fiberon Care and Maintenance Instructions is required and a condition precedent to any warranty or warranty claim. Without limitation on any other provision of this Limited Warranty to qualify for coverage, you must have tried cleaning the affected area of your deck using the instructions indicated within this document and within the Care and

Maintenance Instructions provided online at www.fiberondecking.com. If the affected area still remains unsatisfactory after you have tried these cleaning procedures, then you must have the affected area of your deck professionally cleaned at your expense. If the affected area remains unsatisfactory after the professional cleaning, you must contact Fiberon Consumer and Technical Support (800-573-8841) and provide proof of the professional cleaning within 30 days of the professional cleaning.

2. WARRANTY CLAIM PROCEDURE

a. To make a warranty claim, the Purchaser must send a copy of this warranty document, copy of original proof of purchase, and photos of the issue to the address below. Such proof of purchase must be from an authorized Fiberon Product dealer and must show (1) the date of the purchase and (2) that sufficient Fiberon Product has been purchased to cover the number of lineal feet claimed to be damaged. All warranty claims must be received by Fiberon within the Warranty Period and in no event later than thirty (30) days after any discovery of a possible nonconforming nature of or other failure of the Fiberon Product or Fiberon branded fastener.

b. Claims and Notices must be sent to:

Fiberon
Consumer and Technical Support Department
181 Random Dr.
New London, NC 28127
Phone 800-573-8841 | Fax 704-463-1750 | email info@fiberondecking.com

c. Upon discovering a possible defect of the Fiberon Product, Purchaser must make temporary repairs or cordon off the area at the Purchaser's expense to protect all property and persons that could be affected. If needed, the Purchaser must allow Fiberon to enter the property into which the Fiberon Product is installed to inspect the nonconforming product. Fiberon must have made a determination on the warranty claim before any permanent repairs or removal of materials may be undertaken. No products shall be returned to Fiberon unless directed and authorized by Fiberon in writing to do so. Any removal or disposal of defective products shall be at Purchaser's expense.

3. GENERAL CONDITIONS, EXCLUSIONS AND LIMITATIONS

a. **Purchaser's Sole Remedy.** Purchaser's sole remedy, and Fiberon's sole liability, for any claim whatsoever relating to the Fiberon Product, including without limitation any claims arising out of the marketing, purchase, installation, use, storage, possession or maintenance of Fiberon Products (whether such claim arises in contract, warranty, tort, gross negligence, negligence, strict liability or otherwise) or any claims that the Fiberon Products failed to perform as warranted above, is and shall be the replacement of the defective Fiberon Product with new Fiberon Product in an amount equal to the volume (linear feet) of defective material as listed on the Prorated Warranty Schedule contained herein. Replacement Fiberon material will be as close in color, design and quality to the original installation as reasonably possible, in Fiberon's discretion and determination, but Fiberon does not guarantee an exact match as colors and designs may change. Additionally, Purchaser agrees to the use of such fasteners as adequate for reinstallation of the furnished board, irrespective of existing method. Fiberon may, at its option, elect to refund the percentage of the original purchase price listed under Recovery on the Prorated Warranty Schedule in lieu of replacing the defective product.

b. **Exclusions and Limitations of Certain Damages.** In no event will Fiberon be liable for any incidental, special, indirect or consequential damages resulting, directly or indirectly, from any defect in the Product supplied, including but not limited to, damage to property. Some states do not allow the exclusion or limitation of incidental or consequential damages in certain circumstances, so the above limitation may not apply to you.

In addition, Fiberon shall not be liable for installation, removal or reinstallation costs or for any indirect, punitive, exemplary or consequential damages of any kind, nor shall Fiberon be liable for any loss of use or loss of value of the property (or any part thereof) where the Fiberon Product is installed. Fiberon does not warrant against and is not responsible for, and no implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of Fiberon products and/or failure to

abide by Fiberon's written instructions and any applicable laws or building codes, including but not limited to improper structural support, fastening, ventilation or gapping; (2) use of Fiberon Products beyond normal use or in an application not recommended or permitted by Fiberon's written instructions and applicable laws and building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Fiberon Products are installed; (4) Defects in or failure arising from decking structure resulting from water caused by improper installation, workmanship, maintenance or repair; (5) any Act of God (including but not limited to flooding, hurricane, tornado, wind, earthquake, lightning, hail, etc.); (6) discoloration, fading, spotting or staining from or caused by mold, mildew, metallic oxides or particles (including but not limited to rust or corrosion of any fasteners), dirt, other atmospheric or environmental pollutants, foreign substances such as grease or oil, chemicals (including but not limited to those found in cleaners), or normal weathering (defined as natural efflorescence, exposure to sunlight, weather and atmospheric conditions which causes any colored surface to gradually fade, flake, chalk, or accumulate dirt or stains); (7) damage resulting from casualty, fire or exposure to heat sources such as cooking devices or retro-reflective surfaces; (8) the application of improper paints, stains, surface treatments or other chemical substances including but not limited to non-recommended cleaners or pesticides; (9) fading, flaking or other deterioration of any paints, stains or other coatings placed on the Fiberon Products; (10) climate change or any other cause beyond the control of Fiberon; (11) variations or changes in color of Fiberon Products; (12) improper handling, maintenance, storage, abuse or neglect of Fiberon Products by Purchaser or others; (13) ordinary wear and tear; (14) impact from objects; or (15) any fasteners not supplied or approved by Fiberon.

c. Additional Terms and Limitations.

The suitability of the Fiberon Products for Purchaser's property for the installation and use of the Fiberon Products, including but not limited to whether the Fiberon Product meets the requirements of any applicable building or safety code or similar regulation relating to Purchaser's property, is the responsibility of the Purchaser and/or its design professionals, and not that of Fiberon. Fiberon does not provide architectural or engineering services. Fiberon makes no express or implied warranty or representation as to the suitability of the Fiberon Products for, or actual performance, capabilities or operation of the Fiberon Products at, Purchaser's property or under the conditions of Purchaser's use.

Without limitation on any other provision of this Limited Warranty, all warranties, whether express or implied, are void if any one or more of the following applies or occurs: (i) the Fiberon Product is not installed, maintained and/or used strictly in accordance with Fiberon's written installation, maintenance and use instructions, and all applicable laws, codes and regulations; (ii) misuse of the product, whether foreseeable or unforeseeable; (iii) failure of proper and timely maintenance or repair; (iv) failure to provide timely notice to Fiberon of any failure or defect of the Fiberon Product; or (v) use of fasteners other than the Fiberon branded fasteners or approved hidden fasteners listed on www.fiberondecking.com if it is determined that deck board failures resulted from the use of non-approved fasteners.

4. BINDING ARBITRATION AND CLASS ACTION WAIVER IF YOU LIVE IN THE UNITED STATES

This section applies to any dispute between you and Fiberon relating to your Fiberon Product. "Dispute" will be given the broadest possible meaning allowable under law.

4.1. Notice of Dispute. In the event of a dispute, you must give Fiberon a Notice of Dispute, which is a written statement that sets forth the name, address and contact information of the party giving it, the facts giving rise to the dispute, and the relief requested. You must send any Notice of Dispute by U.S. Mail to Fiberon, Consumer and Technical Support Department, 181 Random Dr. New London, NC 28127. You will attempt to resolve any dispute with Fiberon through informal negotiation within 60 days from the date the Notice of Dispute is sent. After 60 days, you may commence arbitration.

4.2. Small Claims Court. You may also litigate any dispute in small claims court in your county of residence, if the dispute meets all requirements to be heard in the small claims court. You may litigate in small claims court whether or not you negotiated informally first.

4.3. BINDING ARBITRATION. IF YOU AND FIBERON DO NOT RESOLVE ANY DISPUTE BY INFORMAL NEGOTIATION OR IN SMALL CLAIMS COURT, ANY EFFORT TO RESOLVE THE DISPUTE WILL BE CONDUCTED EXCLUSIVELY BY BINDING ARBITRATION. YOU ARE GIVING UP THE RIGHT TO LITIGATE (OR PARTICIPATE IN AS A PARTY OR CLASS MEMBER) ALL DISPUTES IN COURT BEFORE A JUDGE OR JURY. Instead, all disputes will be resolved before a neutral arbitrator, whose decision will be final except for a limited right of appeal under the Federal Arbitration Act. Any court with jurisdiction over the parties may enforce the arbitrator's award.

4.4. CLASS ACTION WAIVER. Any proceedings to resolve or litigate any dispute in any forum will be conducted solely on an individual basis. Neither you nor Fiberon will seek to have any dispute heard as a class action, private attorney general action, or in any other proceeding in which either party acts or proposes to act in a representative capacity. No arbitration or proceeding

will be combined with another without the prior written consent of all parties to all affected arbitrations or proceedings.

4.5. Arbitration Procedure, Costs, Fees and Incentives. Any arbitration will be conducted by the American Arbitration Association (the "AAA") under its Commercial Arbitration Rules and in many cases it's Supplementary Procedures for Consumer-Related Disputes. For more information, see www.adr.org or call 1-800-778-7879. In any dispute seeking less than \$10,000 in damages, Fiberon will promptly reimburse your filing fees and pay the AAA's and arbitrator's fees if you are the prevailing party. You agree to commence arbitration only in your county of residence or New London, NC.

5. CHOICE OF LAW

North Carolina law shall govern the interpretation of this Limited Warranty and any claim that Fiberon has breached it, regardless of conflict of law principles.

FIB-0293-LIT 1/14

Prorated Stain and Fade Limited Warranty Schedule		
Recovery	25-Year Residential	20-Year Residential
	Year of Claim	Year of Claim
100%	0 - 10 years	0 - 10 years
80%	11 - 13 years	11 - 12 years
60%	14 - 16 years	13 - 14 years
40%	17 - 19 years	15 - 16 years
20%	20 - 22 years	17 - 18 years
10%	23 - 25 years	19 - 20 years

PLEASE READ THIS WARRANTY CAREFULLY BEFORE PURCHASING, USING OR INSTALLING YOUR FIBERON PRODUCT. THIS WARRANTY IS A BASIS OF THE BARGAIN AND PURCHASE OF THE FIBERON PRODUCT AND SETS FORTH THE ENTIRE WARRANTY AND RESPONSIBILITY OF FIBERON. PURCHASE AND USE OF THE FIBERON PRODUCT CONSTITUTES ACCEPTANCE OF AND AGREEMENT TO THESE TERMS. SECTION 5 CONTAINS A BINDING ARBITRATION CLAUSE AND CLASS ACTION WAIVER THAT AFFECTS YOUR RIGHTS ABOUT HOW TO RESOLVE ANY DISPUTE WITH FIBERON.

1. LIMITED WARRANTY

a. Fiber Composites LLC, individually and doing business as Fiberon (“Fiberon”) warrants to the original purchaser (“Purchaser”, “you” or “your”) that for the Warranty Period set forth below the following products (“Fiberon Product”) shall, under normal and proper service conditions, remain free from material manufacturing defects and will not check, splinter, delaminate, rot, or suffer structural damage from fungal decay, when installed, used and maintained in an above-ground application and in accordance with Fiberon’s written instructions. For purposes of this Limited Warranty, (a) the “original purchaser” means the individual or individuals who were the owners of the structure when the deck constructed of the subject Fiberon Products was installed, and (b) a “residential application” is an installation of the Fiberon Product on an owner-occupied residence.

Lifetime Limited Warranty

The term of this Limited Warranty (“Warranty Period”) for the Fiberon Product listed below shall be in effect from the date of original purchase by or for a residential application as long as the Purchaser owns the property upon which the Fiberon Product was installed.

Decking: Fiberon® Paramount™ PVC Decking

25-year Limited Warranty

The term of this Limited Warranty (“Warranty Period”) for the Fiberon Product listed below shall be twenty-five (25) years from the date of original purchase by or for a residential application as long as the Original Purchaser owns the property upon which the Fiberon Product was installed.

Decking: Fiberon® Horizon® Decking, Fiberon® ProTect Advantage™ Decking, Fiberon® ProTect® Decking, Fiberon® Sanctuary® Decking, Fiberon® Good Life™ Decking

20-year Limited Warranty

The term of this Limited Warranty (“Warranty Period”) for the Fiberon Products listed below shall be twenty (20) years from the date of original purchase by or for a residential application as long as the Original Purchaser owns the property upon which the Fiberon Product was installed.

Decking: Fiberon® Classic Decking, Fiberon® Professional Decking, Veranda® ArmorGuard® Decking, Fiberon® Terranova® Xtreme Decking, Fiberon® Terranova® Xtreme Wide Decking

Railing: Fiberon® Horizon® Railing, Fiberon® Fiberail® Railing, Fiberon® HomeSelect® Railing, Veranda® ArmorGuard® Railing, Veranda® Regency Railing and Veranda® Enclave® Railing

Fasteners: Fiberon® branded Hidden Fasteners (“Fiberon Fastener”) as listed on www.fiberondecking.com

15-year Limited Warranty

The term of this Limited Warranty (“Warranty Period”) for the Fiberon Products listed below shall be fifteen (15) years from the date of original purchase by or for a residential application as long as the Original Purchaser owns the property upon which the Fiberon Product was installed.

Decking: Veranda® Composite Decking by Fiberon®, Fiberon® Terranova® Decking, Fiberon® Terranova® Europa Decking, Fiberon® Terranova® Exotics Decking

b. Fiberon written instructions are available from your Fiberon dealer or your contractor or from Fiberon at www.fiberondecking.com or by writing to Fiberon at the address stated below.

c. In the event of a failure of the Fiberon Product or Fiberon Fastener within the applicable Warranty Period as warranted above, when properly installed, used and maintained as described above, Fiberon will replace the nonconforming item as set forth in Section 2 below.

d. The limited warranty set forth in this Limited Warranty is the only warranty (whether written or oral, express or implied) Fiberon makes for your Fiberon Product or Fiberon Fasteners; it is subject to all terms and conditions stated herein and no one (including but not limited to a Fiberon dealer, installer, reseller, agent or employee) is authorized to modify, expand or add to this limited warranty. Fiberon makes no other representation, guarantee or warranty. No one is authorized to make any representation, guarantee or warranty on Fiberon’s behalf, and Fiberon shall not be bound by or liable for, any representation, guarantee, warranty, or condition with regard to any Fiberon Product or Fiberon Fastener other than as expressly stated in this Limited Warranty. THIS LIMITED WARRANTY COMPRISES FIBERON’S SOLE AND ENTIRE WARRANTY AND OBLIGATION IN CONNECTION WITH FIBERON PRODUCTS OR FIBERON FASTENERS. ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, QUALITY, CONDITION, SUITABILITY, OR PERFORMANCE, ARE EXPRESSLY EXCLUDED AND DISCLAIMED. ALL IMPLIED WARRANTIES, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, NOT EFFECTIVELY DISCLAIMED ARE LIMITED TO THE APPLICABLE STATUTE OF LIMITATIONS BUT IN NO EVENT WILL EXTEND BEYOND THE APPLICABLE WARRANTY PERIOD. FIBERON EXCLUDES AND WILL NOT PAY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. IN NO EVENT, REGARDLESS OF THE BASIS OF ANY CLAIM OR LIABILITY, SHALL FIBERON BE LIABLE FOR ANY DAMAGES, OF ANY NATURE OR DESCRIPTION WHATSOEVER, EXCEEDING, AND ANY LIABILITY SHALL BE LIMITED TO, THE ACTUAL PURCHASE PRICE OF THE DEFECTIVE PRODUCT AS ADJUSTED ON THE BASIS OF THE PRORATED WARRANTY SCHEDULE PROVIDED HEREIN.

2. WARRANTY CLAIM PROCEDURE

a. To make a warranty claim, the Purchaser must send a copy of this warranty document, copy of original proof of purchase, and photos of the defective or nonconforming Fiberon Product or Fiberon Fasteners, to the address below. Such proof of purchase must be from an authorized Fiberon Product dealer and must show (1) the date of the purchase and (2) that sufficient Fiberon Product has been purchased to cover the number of lineal feet claimed to be damaged. All warranty claims must be received by Fiberon within the Warranty Period and in no event later than thirty (30) days after any discovery of a possible nonconforming nature of or other failure of the Fiberon Product or Fiberon Fastener.

b. Claims and Notices must be sent to:

Fiberon
Consumer and Technical Support Department
181 Random Dr.
New London, NC 28127
Phone 800-573-8841 | Fax 704-463-1750 | email info@fiberondecking.com

c. Upon discovering a possible defect of the Fiberon Product or Fiberon Fastener, Purchaser must make temporary repairs or cordon off the area at the Purchaser’s expense to protect all property and persons that could be affected. If needed, the Purchaser must allow Fiberon to enter the property into which the Fiberon Product or Fiberon Fastener is installed to inspect the nonconforming product. Fiberon must have made a determination on the warranty claim before any permanent repairs or removal of materials may be undertaken. No products shall be returned to Fiberon unless directed and authorized by Fiberon in writing to do so. Any removal or disposal of defective products shall be at Purchaser’s expense.

3. GENERAL CONDITIONS, EXCLUSIONS AND LIMITATIONS

a. Purchaser’s Sole Remedy. Purchaser’s sole remedy, and Fiberon’s sole liability, for any claim whatsoever relating to the Fiberon Product or Fiberon Fastener, including without limitation any claims arising out of the marketing, purchase, installation, use, storage, possession or maintenance of Fiberon Products (whether such claim arises in contract, warranty, tort, gross negligence, negligence, strict liability, statutes or regulations, or otherwise) or any claims that the Fiberon Products or Fiberon Fasteners failed to perform as warranted above, is and shall be the replacement of the defective Fiberon Product or Fiberon Fastener with new Fiberon Product or Fiberon Fastener, as the case may be, in an amount equal to the volume (linear feet) of defective material as listed on the

Prorated Warranty Schedule contained herein or the number of defective Fiberon Fasteners. Replacement Fiberon material will be as close in color, design and quality to the original installation as reasonably possible, in Fiberon's discretion and determination, but Fiberon does not guarantee an exact match as colors and designs may change. Additionally, Purchaser agrees to the use of such fasteners as adequate for reinstallation of the furnished board, irrespective of existing method. Fiberon may, at its option, elect to refund the percentage of the original purchase price listed under Recovery on the Prorated Warranty Schedule in lieu of replacing the defective product.

b. Exclusions and Limitations of Certain Damages.

In no event will Fiberon be liable for any direct, indirect, incidental, special, consequential, punitive, exemplary, statutory, special, or other, damages based upon the Fiberon Products or Fiberon Fasteners or resulting, directly or indirectly, from any defect in the Fiberon Products or Fiberon Fasteners, including but not limited to damage to, diminution in value of and/or loss of use or enjoyment of, any property or part thereof, whether based on contract, tort, strict liability, statute, regulation or otherwise, even if Fiberon is expressly advised about the possibility of such damages. Some states do not allow the exclusion or limitation of incidental or consequential damages in certain circumstances, so the above limitation may not apply to you.

In addition, this Limited Warranty does not cover and Fiberon shall not be liable for any installation, removal or reinstallation costs. Fiberon does not warrant against and is not responsible for, and no express or implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of Fiberon products and/or failure to abide by Fiberon's written instructions and any applicable laws or building codes, including but not limited to improper structural support, fastening, ventilation or gapping; (2) use of Fiberon Products beyond normal use or in an application not recommended or permitted by Fiberon's written instructions and applicable laws and building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Fiberon Products are installed; (4) Defects in or failure arising from decking structure resulting from water caused by improper installation, workmanship, maintenance or repair; (5) any Act of God (including but not limited to flooding, hurricane, tornado, wind, earthquake, lightning, hail, etc.); (6) discoloration, fading, spotting or staining from or caused, in whole or in part, by mold, mildew, other fungal growth, organic materials, metallic oxides or particles (including but not limited to rust or corrosion of any fasteners), dirt, other atmospheric or environmental pollutants, foreign substances such as grease or oil, chemicals (including but not limited to those found in cleaners), or normal weathering (defined as natural efflorescence, exposure to sunlight, weather and atmospheric conditions which causes any colored surface to gradually fade, flake, chalk, or accumulate dirt or stains); (7) damage resulting from casualty, fire or exposure to heat sources such as cooking devices or retro-reflective surfaces; (8) the application of paints, stains, surface treatments or other chemical substances including but not limited to cleaners or pesticides; (9) fading, flaking or other deterioration of any paints, stains or other coatings placed on the Fiberon Products; (10) climate change, environmental conditions, or any cause beyond the control of Fiberon; (11) variations or changes in color of Fiberon Products; (12) improper handling, maintenance, storage, abuse or neglect of Fiberon Products by Purchaser or others; (13) ordinary wear and tear; (14) impact from objects; or (15) any fasteners not supplied or approved by Fiberon.

No warranty is given with respect to any fasteners other than the Fiberon Fasteners; such other fasteners, whether approved fasteners or otherwise, are subject to only the warranties provided by the manufacturer of the fastener and Purchaser's sole warranty and remedy is with that manufacturer.

c. Additional Terms and Limitations.

The suitability of the Fiberon Products for Purchaser's property for the installation and use of the Fiberon Products, including but not limited to whether the Fiberon Product meets the requirements of any applicable building or safety code or similar regulation relating to Purchaser's property, is the responsibility of the Purchaser and/or its design professionals, and not that of Fiberon. Fiberon does not provide architectural or engineering services. Fiberon makes no express or implied warranty or representation as to the suitability of the Fiberon Products for, or actual performance, capabilities or operation of the Fiberon Products at, Purchaser's property or under the conditions of Purchaser's use.

Without limitation on any other provision of this Limited Warranty, all warranties, whether express or implied, and including this Limited Warranty, are void if any one or more of the following applies or occurs: (i) the Fiberon Product or Fiberon Fastener is not installed, maintained and/or used strictly in accordance with Fiberon's written instructions, and all applicable laws, codes and regulations; (ii) misuse of the product, whether foreseeable or unforeseeable; (iii) failure of proper and timely maintenance or repair; (iv) failure to provide timely notice to Fiberon of any failure or defect of the Fiberon Product or Fiberon Fastener; or (v) use of fasteners other than the Fiberon branded fasteners or approved hidden fasteners listed on www.fiberondecking.com to the extent that the Fiberon Product failures resulted from the use of non-approved fasteners.

4. BINDING ARBITRATION AND CLASS ACTION WAIVER IF YOU LIVE IN THE UNITED STATES

This section applies to any dispute between you and Fiberon relating to your Fiberon Product. "Dispute" will be given the

broadest possible meaning allowable under law.

4.1. Notice of Dispute. In the event of a dispute, you must give Fiberon a Notice of Dispute, which is a written statement that sets forth the name, address and contact information of the party giving it, the facts giving rise to the dispute, and the relief requested. You must send any Notice of Dispute by U.S. Mail to Fiberon, Consumer and Technical Support Department, 181 Random Dr. New London, NC 28127. You will attempt to resolve any dispute with Fiberon through informal negotiation within 60 days from the date the Notice of Dispute is sent. After 60 days, you may commence arbitration.

4.2. Small Claims Court. You may also litigate any dispute in small claims court in your county of residence, if the dispute meets all requirements to be heard in the small claims court. You may litigate in small claims court whether or not you negotiated informally first.

4.3. BINDING ARBITRATION. IF YOU AND FIBERON DO NOT RESOLVE ANY DISPUTE BY INFORMAL NEGOTIATION OR IN SMALL CLAIMS COURT, ANY EFFORT TO RESOLVE THE DISPUTE WILL BE CONDUCTED EXCLUSIVELY BY BINDING ARBITRATION. YOU ARE GIVING UP THE RIGHT TO LITIGATE (OR PARTICIPATE IN AS A PARTY OR CLASS MEMBER) ALL DISPUTES IN COURT BEFORE A JUDGE OR JURY. Instead, all disputes will be resolved before a neutral arbitrator, whose decision will be final except for a limited right of appeal under the Federal Arbitration Act. Any court with jurisdiction over the parties may enforce the arbitrator's award.

4.4. CLASS ACTION WAIVER. Any proceedings to resolve or litigate any dispute in any forum will be conducted solely on an individual basis. Neither you nor Fiberon will seek to have any dispute heard as a class action, private attorney general action, or in any other proceeding in which either party acts or proposes to act in a representative capacity. No arbitration or proceeding will be combined with another without the prior written consent of all parties to all affected arbitrations or proceedings.

4.5. Arbitration Procedure, Costs, Fees and Incentives. Any arbitration will be conducted by the American Arbitration Association (the "AAA") under its Commercial Arbitration Rules and in many cases it's Supplementary Procedures for Consumer-Related Disputes. For more information, see www.adr.org or call 1-800-778-7879. In any dispute seeking less than \$10,000 in damages, Fiberon will promptly reimburse your filing fees and pay the AAA's and arbitrator's fees if you are the prevailing party. You agree to commence arbitration only in your county of residence or New London, NC.

5. CHOICE OF LAW

North Carolina law shall govern the interpretation of this Limited Warranty and any claim that Fiberon has breached it, regardless of conflict of law principles.

FIB-0291-LIT 1/14

Prorated Limited Warranty Schedule			
Recovery	25-Year Residential	20-Year Residential	15-Year Residential
	Year of Claim	Year of Claim	Year of Claim
100%	0 - 10 years	0 - 10 years	0 - 5 years
80%	11 - 13 years	11 - 12 years	6 years
60%	14 - 16 years	13 - 14 years	7 years
40%	17 - 19 years	15 - 16 years	8 years
20%	20 - 22 years	17 - 18 years	9 years
10%	23 - 25 years	19 - 20 years	10 years

For the most up-to-date information and specifications, visit fiberondecking.com or call 1-800-573-8841.

PLEASE READ THIS WARRANTY CAREFULLY BEFORE PURCHASING, USING OR INSTALLING YOUR FIBERON PRODUCT. THIS WARRANTY IS A BASIS OF THE BARGAIN AND PURCHASE OF THE FIBERON PRODUCT AND SETS FORTH THE ENTIRE WARRANTY AND RESPONSIBILITY OF FIBERON. PURCHASE AND USE OF THE FIBERON PRODUCT CONSTITUTES ACCEPTANCE OF AND AGREEMENT TO THESE TERMS. SECTION 5 CONTAINS A BINDING ARBITRATION CLAUSE AND CLASS ACTION WAIVER THAT AFFECTS YOUR RIGHTS ABOUT HOW TO RESOLVE ANY DISPUTE WITH FIBERON.

1. WARRANTY

a. Fiber Composites LLC, individually and doing business as Fiberon (“Fiberon”) warrants to the original purchaser (“Purchaser”, “you” or “your”) that for the Warranty Period set forth below the following Products (“Fiberon Product”) shall remain free from material manufacturing defects, and under normal and proper service conditions will not check, splinter, delaminate, rot, or suffer structural damage from fungal decay, when installed, used and maintained in an above-ground application and in accordance with Fiberon’s written instructions.

10-year Limited Warranty

The term of this Limited Warranty (“Warranty Period”) for the Fiberon Product listed below shall be ten (10) years from the date of original purchase by or for a commercial application for a commercial purchaser as long as they own the property upon which the material was installed.

Decking: Fiberon® Paramount™ Decking, Fiberon® Horizon® Decking, Fiberon® Pro-Tect® Decking, Fiberon® ProTect Advantage™ Decking, Fiberon® Sanctuary® Decking, Fiberon® Good Life™ Decking, Fiberon® Terranova® Xtreme Decking, Fiberon® Terranova® Xtreme Wide Decking, Fiberon® Terranova® Europa Decking, Fiberon® Terranova® Exotics Decking, Fiberon® Terranova® Decking

5-year Limited Warranty

The term of this Limited Warranty (“Warranty Period”) for the Fiberon Products listed below shall be five (5) years from the date of original purchase by or for a commercial application for a commercial purchaser as long as they own the property upon which the material was installed.

Decking: Fiberon® Classic Decking, Fiberon® Professional Decking (Europe)
Railing: Fiberon® Horizon® Railing, Fiberon® Fiberail® Railing
Fasteners: Fiberon® branded Hidden Fasteners as listed on www.fiberondecking.com

b. Fiberon warrants to the Purchaser that for the Warranty Period set forth below, Fiberon Products shall remain free from manufacturing defects when installed and maintained according to Fiberon’s written instructions.

c. In the event of a failure or other nonconformity of the Fiberon Product or Fiberon Fastener when installed, used and maintained as described above, Fiberon will replace the nonconforming item as set forth in Section 2 below.

d. The limited warranty set forth in this document is the only warranty (whether written or oral, express or implied) Fiberon makes for your Fiberon Product or Fiberon Fasteners; it is subject to all terms and conditions stated herein and no one (including but not limited to a Fiberon dealer, installer, reseller, agent or employee) is authorized to modify, expand or add to this limited warranty. Fiberon makes no other representation, guarantee or warranty. No one is authorized to make representation, guarantee or warranty on Fiberon’s behalf, and Fiberon shall not be bound by or liable for, any representation, guarantee, warranty, or condition with regard to any Fiberon Product or Fiberon Fastener other than as expressly stated in this Limited Warranty. THIS LIMITED WARRANTY COMPRISES FIBERON’S SOLE AND ENTIRE WARRANTY AND OBLIGATION IN CONNECTION WITH FIBERON PRODUCTS OR FIBERON BRANDED FASTENERS. ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY AND FITNESS, ARE EXPRESSLY EXCLUDED AND DISCLAIMED. ANY IMPLIED WARRANTIES, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, NOT EFFECTIVELY DISCLAIMED WILL EXPIRE WITH THE TERM OF THIS LIMITED WARRANTY. FIBERON EXCLUDES AND WILL NOT PAY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. IN NO EVENT, REGARDLESS OF THE BASIS OF ANY CLAIM OR LIABILITY, SHALL FIBERON BE LIABLE FOR ANY DAMAGES, OF ANY NATURE OR DESCRIPTION WHATSOEVER, EXCEEDING, AND ANY LIABILITY SHALL LIMITED TO THE ACTUAL PURCHASE PRICE OF THE DEFECTIVE PRODUCT AS ADJUSTED ON THE BASIS OF THE PRORATED WARRANTY SCHEDULE PROVIDED HEREIN.

2. WARRANTY CLAIM PROCEDURE

a. To make a warranty claim, the Purchaser must send a copy of this warranty document, copy of original proof of purchase, and photos of the issue to the address below. Such proof of purchase must be from an authorized Fiberon Product dealer and must show (1) the date of the purchase and (2) that sufficient Fiberon Product has been purchased to cover the number of lineal feet claimed to be damaged. All warranty claims must be received by Fiberon within the Warranty Period and in no event later than thirty (30) days after any discovery of a possible nonconforming nature of or other failure of the Fiberon Product or Fiberon Fastener.

b. Send Claims and Notices to:

Fiberon
 Consumer and Technical Support Department
 181 Random Dr.
 New London, NC 28127
 Phone 800-573-8841 | Fax 704-463-1750 | email info@fiberondecking.com

c. Upon discovering a possible defect of the Fiberon Product or Fiberon Fastener, Purchaser must make temporary repairs or cordon off the area at the Purchaser’s expense to protect all property and persons that could be affected. If needed, the Purchaser must allow Fiberon to enter the property into which the Fiberon Product or Fiberon Fastener is installed to inspect the nonconforming Product. Fiberon must have made a determination on the warranty claim before any permanent repairs or removal of materials may be undertaken. No Products shall be returned to Fiberon unless directed and authorized by Fiberon in writing to do so. Any removal or disposal of defective Products shall be at Purchaser’s expense.

3. GENERAL CONDITIONS, EXCLUSIONS AND LIMITATIONS

a. **Purchaser’s Sole Remedy.** Purchaser’s sole remedy, and Fiberon’s sole liability, for any claim whatsoever relating to the Fiberon Product, including without limitation, any claims arising out of the marketing, purchase, installation, use, storage, possession or maintenance of Fiberon Products (whether such claim arises in contract, warranty, tort, gross negligence, negligence, strict liability or otherwise) or any claims that the Fiberon Products failed to perform as warranted above, is and shall be the replacement of the defective Fiberon Product with new Fiberon Product in an amount equal to the volume (linear feet) of defective material as listed on the Prorated Warranty Schedule contained herein. Replacement Fiberon material will be as close in color, design and quality to the original installation as reasonably possible, in Fiberon’s discretion and determination, but Fiberon does not guarantee an exact match as colors and designs may change. Additionally, Purchaser agrees to the use of such fasteners as adequate for reinstallation of the furnished board, irrespective of existing method. Fiberon may, at its option, elect to refund the percentage of the original purchase price listed under Recovery on the Prorated Warranty Schedule in lieu of replacing the defective Product.

b. **Exclusions and Limitations of Certain Damages.**

In no event will Fiberon be liable for any incidental, special, indirect or consequential damages resulting, directly or indirectly, from any defect in the Product supplied, including but not limited to, damage to property. Some states do not allow the exclusion or limitation of incidental or consequential damages in certain circumstances, so the above limitation may not apply to you.

In addition, Fiberon shall not be liable for installation, removal or reinstallation costs or for any indirect, punitive, exemplary or consequential damages of any kind, nor shall Fiberon be liable for any loss of use or loss of value of the property (or any part thereof) where the Fiberon Product is installed. Fiberon does not warrant against and is not responsible for, and no implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of Fiberon Products and/or failure to abide by Fiberon’s written instructions and any applicable laws or building codes, including but not limited to improper structural support, fastening, ventilation or gapping; (2) use of Fiberon Products beyond normal use or in an application not recommended

or permitted by Fiberon's written instructions and applicable laws and building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Fiberon Products are installed; (4) Defects in or failure arising from decking structure resulting from water caused by improper installation, workmanship, maintenance or repair; (5) any Act of God (including but not limited to flooding, hurricane, tornado, wind, earthquake, lightning, hail, etc.); (6) discoloration, fading, spotting or staining from or caused by mold, mildew, metallic oxides or particles (including but not limited to rust or corrosion of any fasteners), dirt, other atmospheric or environmental pollutants, foreign substances such as grease or oil, chemicals (including but not limited to those found in cleaners), or normal weathering (defined as natural efflorescence, exposure to sunlight, weather and atmospheric conditions which causes any colored surface to gradually fade, flake, chalk, or accumulate dirt or stains); (7) damage resulting from casualty, fire or exposure to heat sources such as cooking devices or retro-reflective surfaces; (8) the application of improper paints, stains, surface treatments or other chemical substances including but not limited to non-recommended cleaners or pesticides; (9) fading, flaking or other deterioration of any paints, stains or other coatings placed on the Fiberon Products; (10) climate change or any other cause beyond the control of Fiberon; (11) variations or changes in color of Fiberon Products; (12) improper handling, maintenance, storage, abuse or neglect of Fiberon Products by Purchaser or others; (13) ordinary wear and tear; (14) impact from objects; or (15) any fasteners not supplied or approved by Fiberon.

No warranty is given with respect to fasteners other than the Fiberon branded fasteners. Other fasteners, whether approved fasteners or otherwise, are subject to only the warranties provided by the manufacturer of the fastener and Purchaser's sole warranty and remedy is with that manufacturer.

c. Additional Terms and Limitations.

The suitability of the Fiberon Products for Purchaser's property for the installation and use of the Fiberon Products, including but not limited to whether the Fiberon Product meets the requirements of any applicable building or safety code or similar regulation relating to Purchaser's property, is the responsibility of the Purchaser and/or its design professionals, and not that of Fiberon. Fiberon does not provide architectural or engineering services. Fiberon makes no express or implied warranty or representation as to the suitability of the Fiberon Products for, or actual performance, capabilities or operation of the Fiberon Products at, Purchaser's property or under the conditions of Purchaser's use.

Without limitation on any other provision of this Limited Warranty, all warranties, whether express or implied, are void if any one or more of the following applies or occurs: (i) the Fiberon Product is not installed, maintained and/or used strictly in accordance with Fiberon's written instructions, and all applicable laws, codes and regulations; (ii) misuse of the Product, whether foreseeable or unforeseeable; (iii) failure of proper and timely maintenance or repair; (iv) failure to provide timely notice to Fiberon of any failure or defect of the Fiberon Product; or (v) use of fasteners other than the Fiberon branded fasteners or approved hidden fasteners listed on www.fiberondecking.com if it is determined that deck board failures resulted from the use of non-approved fasteners.

Without limitation on any other provision of this Limited Warranty, all warranties, whether express or implied, are void if any one or more of the following applies or occurs: (i) the Fiberon Product is not installed, maintained and/or used strictly in accordance with Fiberon's written instructions, and all applicable laws, codes and regulations; (ii) misuse of the Product, whether foreseeable or unforeseeable; (iii) failure of proper and timely maintenance or repair; (iv) failure to provide timely notice to Fiberon of any failure or defect of the Fiberon Product; or (v) use of fasteners other than the Fiberon branded fasteners or approved hidden fasteners listed on www.fiberondecking.com if it is determined that deck board failures resulted from the use of non-approved fasteners.

4. BINDING ARBITRATION AND CLASS ACTION WAIVER IF YOU LIVE IN THE UNITED STATES

This section applies to any dispute between you and Fiberon relating to your Fiberon Product. "Dispute" will be given the broadest possible meaning allowable under law.

4.1. Notice of Dispute. In the event of a dispute, you must give Fiberon a Notice of Dispute, which is a written statement that sets forth the name, address and contact information of the party giving it, the facts giving rise to the dispute, and the relief requested. You must send any Notice of Dispute by U.S. Mail to Fiberon, Consumer and Technical Support Department, 181 Random Dr. New London, NC 28127. You will attempt to resolve any dispute with Fiberon through informal negotiation within 60 days from the date the Notice of Dispute is sent. After 60 days, you may commence arbitration.

4.2. Small Claims Court. You may also litigate any dispute in small claims court in your county of residence, if the dispute meets all requirements to be heard in the small claims court. You may litigate in small claims court whether or not you negotiated informally first.

4.3. BINDING ARBITRATION. IF YOU AND FIBERON DO NOT RESOLVE ANY DISPUTE BY INFORMAL NEGOTIATION OR IN SMALL CLAIMS COURT, ANY EFFORT TO RESOLVE THE DISPUTE WILL BE CONDUCTED EXCLUSIVELY BY BINDING ARBITRATION. YOU ARE GIVING UP THE RIGHT TO LITIGATE (OR PARTICIPATE IN AS A PARTY OR CLASS MEMBER) ALL DISPUTES IN COURT BEFORE A JUDGE OR JURY. Instead, all disputes will be resolved before a neutral arbitrator, whose decision will be final except for a limited right of appeal under the Federal Arbitration Act. Any court with jurisdiction over the parties may enforce the arbitrator's award.

4.4. CLASS ACTION WAIVER. Any proceedings to resolve or litigate any dispute in any forum will be conducted solely on an individual basis. Neither you nor Fiberon will seek to have any dispute heard as a class action, private attorney general action, or

in any other proceeding in which either party acts or proposes to act in a representative capacity. No arbitration or proceeding will be combined with another without the prior written consent of all parties to all affected arbitrations or proceedings.

4.5. Arbitration Procedure, Costs, Fees and Incentives. Any arbitration will be conducted by the American Arbitration Association (the "AAA") under its Commercial Arbitration Rules and in many cases it's Supplementary Procedures for Consumer-Related Disputes. For more information, see www.adr.org or call 1-800-778-7879. In any dispute seeking less than \$10,000 in damages, Fiberon will promptly reimburse your filing fees and pay the AAA's and arbitrator's fees if you are the prevailing party. You agree to commence arbitration only in your county of residence or New London, NC.

5. CHOICE OF LAW

North Carolina law shall govern the interpretation of this Limited Warranty and any claim that Fiberon has breached it, regardless of conflict of law principles.

FIB-0292-LIT 1/14

Prorated Limited Warranty Schedule		
Recovery	10-Year Residential	5-Year Residential
	Year of Claim	Year of Claim
100%	0 - 5 years	1 year
80%	6 years	2 years
60%	7 years	3 years
40%	8 years	4 years
20%	9 years	5 years
10%	10 years	-



Horizon Ipe decking with Horizon Mission railing in Dark Walnut

For the most up-to-date information and specifications, visit fiberondecking.com or call 1-800-573-8841.

Paramount Flagstone decking with Horizon Provincial railing in White



FIB-0040-LIT 1/14



Visit our Photo Gallery

fiberondecking.com 1-800-573-8841

Find us on:



Proud member of

